

Continue



Tapson VF. Acute pulmonary embolism. *N Engl J Med.* 2008 Mar 6; 358(10):1037-52. [QxMD MEDLINE Link]. Haeger K. Problems of acute deep venous thrombosis. I. The interpretation of signs and symptoms. *Angiology.* 1969 Apr. 20(4):219-23. [QxMD MEDLINE Link]. McLachlin J, Richards T, Paterson JC. An evaluation of clinical signs in the diagnosis of venous thrombosis. *Arch Surg.* 1962 Nov; 85:738-44. [QxMD MEDLINE Link]. Ambush P, Obiagwu C, Shetty V. Human's sign for deep vein thrombosis: A grain of salt? *Indian Heart J.* 2017 May - Jun; 69(3):418-9. [QxMD MEDLINE Link]. [Full Text]. McGee S. Edema and deep vein thrombosis. Evidence-Based Physical Diagnosis. 3rd ed. Philadelphia: Saunders; 2012. 472-3. [Full Text]. Meignan M, Rosso J, Gauthier H, et al. Systematic lung scans reveal a high frequency of silent pulmonary embolism in patients with proximal deep venous thrombosis. *Arch Intern Med.* 2000 Jan 24; 160(2):159-64. [QxMD MEDLINE Link]. [Guideline] Snow V, Qaseem A, Barry P, et al. Management of venous thromboembolism: a clinical practice guideline from the American College of Physicians and the American Academy of Family Physicians. *Ann Intern Med.* 2007 Feb 6; 146(3):204-10. [QxMD MEDLINE Link]. Qaseem A, Snow V, Barry P, et al. Current diagnosis of venous thromboembolism in primary care: a clinical practice guideline from the American Academy of Family Physicians and the American College of Physicians. *The Annals of Family Medicine.* 2007. 5:57-62. [QxMD MEDLINE Link]. [Full Text]. Buller HR, Ten Cate-Hoek AJ, Hoes AW, et al. Safely ruling out deep venous thrombosis in primary care. *Ann Intern Med.* 2009 Feb 17; 150(4):229-35. [QxMD MEDLINE Link].

Bauersachs R, Berkowitz SD, Brenner B, et al. Oral rivaroxaban for symptomatic venous thromboembolism. *N Engl J Med.* 2010 Dec 23; 363(26):2499-510. [QxMD MEDLINE Link]. [Full Text]. Buller HR, Prins MH, Lensing AW, et al. Oral rivaroxaban for the treatment of symptomatic pulmonary embolism. *N Engl J Med.* 2012 Apr 5. 366(14):1287-97. [QxMD MEDLINE Link]. [Full Text]. Hughes S. Rivaroxaban stands up to standard anticoagulation for VTE treatment. *Medscape Medical News.* Medscape Heartwire from WebMD. December 13, 2012. Available at . Accessed: March 19, 2013. Jaff MR, McMurry MS, Archer SL, et al. Management of massive and submassive pulmonary embolism, iliofemoral deep vein thrombosis, and chronic thromboembolic pulmonary hypertension: a scientific statement from the American Heart Association. *Circulation.* 2011 Apr 26. 123(16):1788-830. [QxMD MEDLINE Link]. Silverstein MD, Heit JA, Mohr DN, Petterson TM, O'Fallon WM, Melton LJ 3rd. Trends in the incidence of deep vein thrombosis and pulmonary embolism: a 25-year population-based study. *Arch Intern Med.* 1998 Mar 23; 158(6):585-93. [QxMD MEDLINE Link]. Li Y, He Y, Meng Y, et al. Development and validation of a prediction model to estimate risk of acute pulmonary embolism in deep vein thrombosis patients. *Sci Rep.* 2022 Jan 13. 12 (1):649. [QxMD MEDLINE Link]. [Full Text]. Vyv A, Sankari A, Goyal A. Acute pulmonary embolism. *StatPearls [Internet].* 2024 Jan. [QxMD MEDLINE Link]. [Full Text]. Useche JN, de Castro AM, Galvis GE, Mantilla RA, Ariza A. Use of US in the evaluation of patients with symptoms of deep venous thrombosis of the lower extremities. *Radiographics.* 2008 Oct. 28(6):1785-97. [QxMD MEDLINE Link]. Chang R, Chen CC, Kam A, Mao E, Shawker TH, Horne MK 3rd. Deep vein thrombosis of lower extremity: direct intraclot injection of alteplase once daily with systemic anticoagulation-results of pilot study. *Radiology.* 2008 Feb. 246(2):619-29. [QxMD MEDLINE Link]. Biuckians A, Meier GH 3rd. Treatment of symptomatic lower extremity acute deep venous thrombosis: role of mechanical thrombectomy. *Vascular.* 2007 Sep-Oct. 15(5):297-303. [QxMD MEDLINE Link]. Li W, Salanitri J, Tutton S, et al. Lower extremity deep venous thrombosis: evaluation with ferumoxytol-enhanced MR imaging and dual-contrast mechanism-preliminary experience. *Radiology.* 2007 Mar. 242(3):873-81. [QxMD MEDLINE Link]. Kakkos SK, Caprini JA, Geroulakos G, Nicolaides AN, Stansby GP, Reddy DJ. Combined intermittent pneumatic leg compression and pharmacological prophylaxis for prevention of venous thromboembolism in high-risk patients. *Cochrane Database Syst Rev.* 2008 Oct 8. CD005258. [QxMD MEDLINE Link]. Araki CT, Back TL, Padberg FT, et al. The significance of calf muscle pump function in venous ulceration. *J Vasc Surg.* 1994 Dec. 20(6):872-7; discussion 878-9. [QxMD MEDLINE Link]. Wakefield TW, Strieter RM, Schaub R, et al. Venous thrombosis prophylaxis by inflammatory inhibition without anticoagulation therapy. *J Vasc Surg.* 2000 Feb. 31(2):309-24. [QxMD MEDLINE Link]. Wakefield TW, Proctor MC. Current status of pulmonary embolism and venous thrombosis prophylaxis. *Semin Vasc Surg.* 2000 Sep. 13(3):171-81. [QxMD MEDLINE Link]. Gibbs NM. Venous thrombosis of the lower limbs with particular reference to bed-rest. *Br J Surg.* 1957 Nov. 45(191):209-36. [QxMD MEDLINE Link]. Sevitt S. The structure and growth of valve-pocket thrombi in femoral veins. *J Clin Pathol.* 1974 Jul. 27(7):517-28. [QxMD MEDLINE Link]. [Full Text]. Arordon DL, Thomas DP. Experimental studies on venous thrombosis: effect of coagulants, procoagulants and vessel contusion. *Thromb Haemost.* 1985 Dec 17. 54(4):866-70. [QxMD MEDLINE Link]. Wessler S, Reimer SM, Sheps MC. Biologic assay of a thrombosis-inducing activity in human serum. *J Appl Physiol.* 1959 Nov. 14:943-6. [QxMD MEDLINE Link]. Sevitt S. The mechanisms of canalisation in deep vein thrombosis. *J Pathol.* 1973 Jun. 110(2):153-65. [QxMD MEDLINE Link]. Gandhi RH, Irizarry E, Neckman GB, Halpern PJ, Mulcaire RJ. *Tilson MD. Analysis of the connective tissue matrix and proteolytic activity of primary varicose veins. J Vasc Surg.* 1993 Nov. 18(5):814-20. [QxMD MEDLINE Link]. Rizzi A, Quagliio D, Vasquez G, et al. Effects of vasodilators in healthy and diseased human saphenous veins. *J Vasc Surg.* 1998 Nov. 28(5):855-61. [QxMD MEDLINE Link]. Montreal M, Martorell A, Callejas JM, et al. Venographic assessment of deep vein thrombosis and risk of developing post-thrombotic syndrome: a prospective study. *J Intern Med.* 1993 Mar. 233(3):233-8. [QxMD MEDLINE Link]. Strandness DE Jr, Langlois Y, Cramer M, Randlett A, Thiele BL. Long-term sequelae of acute venous thrombosis. *JAMA.* 1983 Sep 9. 250(10):1289-92. [QxMD MEDLINE Link]. Prandoni P, Lansing AW, Cogo A, et al. The long-term clinical course of acute deep venous thrombosis. *Ann Intern Med.* 1996 Jul 1. 125(1):1-7. [QxMD MEDLINE Link]. Meissner MH, Caps MT, Zierler BK, Bergelin RO, Manzo RA, Strandness DE Jr. Deep venous insufficiency: the relationship between lysis and subsequent reflux. *J Vasc Surg.* 1998 Nov. 28(5):826-33. [QxMD MEDLINE Link]. Meissner MH, Manzo RA, Markel A, Strandness DE Jr. Venous valvar reflux in veins not involved at the time of acute deep vein thrombosis. *J Vasc Surg.* 1995 Nov. 22(5):524-31. [QxMD MEDLINE Link]. Johnson BF, Manzo RA, Bergelin RO, Strandness DE Jr. Relationship between changes in the deep venous system and the development of the postthrombotic syndrome after an acute episode of lower limb deep vein thrombosis: a one- to six-year follow-up. *J Vasc Surg.* 1995 Feb. 21(2):307-12; discussion 313. [QxMD MEDLINE Link]. Johnson BF, Manzo RA, Bergelin RO, Strandness DE Jr. The site of residual abnormalities in the leg veins in long-term follow-up after deep vein thrombosis and their relationship to the development of the post-thrombotic syndrome. *Int Angiol.* 1996 Mar. 15(1):14-9. [QxMD MEDLINE Link]. Haenen JH, Wollersheim H, Janssen MC, et al. Evolution of deep venous thrombosis: a 2-year follow-up using duplex ultrasound scan and strain-gauge plethysmography. *J Vasc Surg.* 2001 Oct. 34(4):649-55. [QxMD MEDLINE Link]. Andriopoulos A, Wirsing P, Botticher R. Results of iliofemoral venous thrombectomy after acute thrombosis: report on 165 cases. *J Cardiovasc Surg (Torino).* 1982 Mar-Apr. 23(2):123-4. [QxMD MEDLINE Link]. Zheng Y, Zhou B, Pu X. [Frequency of protein C polymorphisms in Chinese population and thrombotic patients]. Zhonghua Yi Xue Za Zhi. 1998 Mar. 78(3):210-2. [QxMD MEDLINE Link]. Juhan C, Alimi Y, Di Mauro P, Hartung O. Surgical venous thrombectomy. *Cardiovasc Surg.* 1999 Oct. 7(6):586-90. [QxMD MEDLINE Link]. Saarinen J, Kallio TT, Lehto M, Hilutinen S, Sisto T. The occurrence of the post-thrombotic changes after an acute deep venous thrombosis. A prospective two-year follow-up study. *J Cardiovasc Surg (Torino).* 2000 Jun. 41(3):441-6. [QxMD MEDLINE Link]. Elliott G. Thrombolytic therapy for venous thromboembolism. *Curr Opin Hematol.* 1999 Sep. 6(5):304-8. [QxMD MEDLINE Link]. Baker WF Jr. Diagnosis of deep venous thrombosis and pulmonary embolism. *Med Clin North Am.* 1998 May. 82(3):459-76. [QxMD MEDLINE Link]. Henriksen O, Sejrsen P. Effect of "vein pump" activation upon venous pressure and blood flow in human subcutaneous tissue. *Acta Physiol Scand.* 1977 May. 100(1):14-21. [QxMD MEDLINE Link]. Kearon C. Initial treatment of venous thromboembolism. *Thromb Haemost.* 1999 Aug. 82(2):887-91. [QxMD MEDLINE Link]. Kakkakar VV, Howes J, Sharma V, Kadziola Z. A comparative double-blind, randomised trial of a new second generation LMWH (bemiparin) and UFH in the prevention of post-operative venous thromboembolism. The Bemiparin Assessment group. *Thromb Haemost.* 2000 Apr. 83(4):523-9. [QxMD MEDLINE Link]. Heit JA, Mohr DN, Silverstein MD, Peterson TM, O'Fallon WM, Melton LJ 3rd. Predictors of recurrence after deep vein thrombosis and pulmonary embolism: a population-based cohort study. *Arch Intern Med.* 2000 Mar. 160(6):761-8. [QxMD MEDLINE Link]. Stein PD. Silent pulmonary embolism. *Arch Intern Med.* 2000 Jan 24. 160(2):145-6. [QxMD MEDLINE Link]. Lewandowski A, Syska-Suminski J, Dulzinski JW. [Pulmonary embolism suspicion in a young female patient with the Paget-von Schröter syndrome]. Kardiol Pol. 2008 Sep. 66(9):696-71. [QxMD MEDLINE Link]. Acharya G, Singh K, Hansen JB, Kumar S, Maltau JM. Catheter-directed thrombolysis for the management of postpartum deep venous thrombosis. *Acta Obstet Gynecol Scand.* 2005 Feb. 84(2):155-8. [QxMD MEDLINE Link]. Baarslag HJ, Koopman MM, Huppen BA, et al. Long-term follow-up of patients with suspected deep vein thrombosis of the upper extremity: survival, risk factors and post-thrombotic syndrome. *Eur J Intern Med.* 2004 Dec. 15(8):503-507. [QxMD MEDLINE Link]. Joffe HV, Kucher N, Tapson VF, Goldhaber SZ. Upper-extremity deep vein thrombosis: a prospective registry of 592 patients. *Circulation.* 2004 Sep 21. 110(12):1605-11. [QxMD MEDLINE Link]. Martinelli I, Battaglioli T, Bucciarelli P, Passamonti SM, Mannucci PM. Risk factors and recurrence rate of primary deep vein thrombosis of the upper extremities. *Circulation.* 2004 Aug 3. 110(5):566-70. [QxMD MEDLINE Link]. Beyth RJ, Cohen AM, Landefeld CS. Long-term outcomes of deep-vein thrombosis. *Arch Intern Med.* 1995 May 22. 155(10):1031-7. [QxMD MEDLINE Link]. Kistner RL, Ball JJ, Nordyke RA, Freeman GC. Incidence of pulmonary embolism in the course of thrombophlebitis of the lower extremities. *Am J Surg.* 1972 Aug. 124(2):169-76. [QxMD MEDLINE Link]. Havig O. Deep vein thrombosis and pulmonary embolism. An autopsy study with multiple regression analysis of possible risk factors. *Acta Chir Scand Suppl.* 1977. 478:1-120. [QxMD MEDLINE Link]. Higdon ML, Higdon JA. Treatment of oncologic emergencies. *Am Fam Physician.* 2006 Dec 1. 74(11):1873-80. [QxMD MEDLINE Link]. [Full Text]. Guijarro Escribano JF, Anton RF, Colmenarejo Rubio A, Saenz Cascos L, Sainz Gonzalez F, Alguacil Rodriguez R. Superior vena cava syndrome with central venous catheter for chemotherapy treated successfully with fibrinolysis. *Clin Transl Oncol.* 2007 Mar. 9(3):198-200. [QxMD MEDLINE Link]. Baltayannis N, Magoulas D, Agnagnostopoulos D, et al. Percutaneous stent placement in malignant cases of superior vena cava syndrome. *J BUON.* 2005 Jul-Sep. 10(3):377-80. [QxMD MEDLINE Link]. Urruticochea A, Mesia R, Dominguez J, et al. Treatment of malignant superior vena cava syndrome by endovascular stent insertion. Experience on 52 patients with lung cancer. *Lung Cancer.* 2004 Feb. 43 (2):209-14. [QxMD MEDLINE Link]. Satoh K, Satoh T, Yaquta N, Shimokawa H. Recent advances in the understanding of thrombosis. *Arterioscler Thromb Vasc Biol.* 2019 Jun. 39(6):e159-65. [QxMD MEDLINE Link]. [Full Text]. Arvidssonsson B, Eklof B, Kistner RL, Masuda EM, Sato DT. Risk factors for venous thromboembolism following prolonged air travel. *Coach class thrombosis.* *Hematol Oncol Clin North Am.* 2000 Apr. 14(2):391-400. ix. [QxMD MEDLINE Link]. Slipman CW, Lipsetz JS, Jackson HB, Vresilovic EJ. Deep venous thrombosis and pulmonary embolism as a complication of bed rest for low back pain. *Arch Phys Med Rehabil.* 2000 Jan. 81(1):127-9. [QxMD MEDLINE Link]. Caggiati A. The left common iliac artery also compresses the left common iliac vein. *J Vasc Surg.* 2011 Dec. 54(6 suppl):56S-61S. [QxMD MEDLINE Link]. [Full Text]. Ruggeri M, Tosetto A, Castaman G, Rodighiero P. Congenital absence of the inferior vena cava: a rare risk factor for idiopathic deep-vein thrombosis. *Lancet.* 2001 Feb 10. 357(9254):441. [QxMD MEDLINE Link]. Hamoud S, Nitecky S, Engel A, Goldsher D, Hayek T. Hypoplasia of the inferior vena cava with ayzygous continuation presenting as recurrent leg deep vein thrombosis. *Am J Med Sci.* 2000 Jun. 319(6):414-6. [QxMD MEDLINE Link]. Greenfield LJ, Proctor MC. The percutaneous Greenfield filter: outcomes and practice patterns. *J Vasc Surg.* 2000 Nov. 32(5):888-93. [QxMD MEDLINE Link]. Tsuji Y, Goto A, Hara I, et al. Renal cell carcinoma with extension of tumor thrombus into the vena cava: surgical strategy and prognosis. *J Vasc Surg.* 2001 Apr. 33(4):789-96. [QxMD MEDLINE Link]. Stamatakis JD, Kakkar VV, Sagar S, Lawrence D, Nairn D, Bentley PG. Femoral vein thrombosis and total hip replacement. *Br Med J.* 1977 Jul 23. 2(6081):223-5. [QxMD MEDLINE Link]. [Full Text]. Pullen LC. PICCs may double risk for clots in critically ill patients. *Medscape Medical News from WebMD.* May 20, 2013. Available at . Accessed: June 4, 2013. Chopra V, Anand S, Hickner A, et al. Risk of venous thromboembolism associated with peripherally inserted central catheters: a systematic review and meta-analysis. *Lancet.* 2013 Jul 27. 382(9889):311-25. [QxMD MEDLINE Link]. Alkhani R, Cohen AT, Combe S, et al. Risk factors for venous thromboembolism in hospitalized patients with acute medical illness: analysis of the MEDENOX Study. *Arch Intern Med.* 2004 May 10. 164(9):963-8. [QxMD MEDLINE Link]. Heit JA, Elliott CG, Trowbridge AA, Morrey BF, Gent M, Hirsh J. Ardeparin sodium for extended out-of-hospital prophylaxis against venous thromboembolism after total hip or knee replacement. A randomized, double-blind, placebo-controlled trial. *Ann Intern Med.* 2000 Jun 6. 132(11):853-61. [QxMD MEDLINE Link]. Chu C, Tokumaru S, Izumi K, Nakagawa K. Obesity increases risk of anticoagulation reversal failure with prothrombin complex concentrate in those with intracranial hemorrhage. *Int J Neurosci.* 2016 Jan. 126(1):62-6. [QxMD MEDLINE Link]. Nordstrom M, Lindblad B, Bergqvist D, Kjellstrom T. A prospective study of the incidence of deep-vein thrombosis within a defined urban population. *J Intern Med.* 1992 Aug. 232(2):155-60. [QxMD MEDLINE Link]. Dahlback B. Inherited thrombophilia: resistance to activated protein C as a pathogenic factor of venous thromboembolism. *Blood.* 1995 Feb 1. 85(3):607-14. [QxMD MEDLINE Link]. Anderson FA Jr, Wheeler HB, Goldberg JR, Hosmer DW, Forcier A. The prevalence of risk factors for venous thromboembolism among hospital patients. *Arch Intern Med.* 1992 Aug. 152(8):1604-6. [QxMD MEDLINE Link]. Warlow C, Ogston D, Douglas AS. Deep venous thrombosis of the legs after strokes. Part I-Incidence and predisposing factors. *Br Med J.* 1976 May 15. 1(6109):1178-81. [QxMD MEDLINE Link]. [Full Text]. Monreal M, Lafon A, Casals A, et al. Occult cancer in patients with deep venous thrombosis. A systematic approach. *Cancer.* 1991 Jan 15. 67(2):541-5. [QxMD MEDLINE Link]. Rickles FR, Levine M, Edwards RL. Hemostatic alterations in cancer patients. *Cancer Metastasis Rev.* 1992 Nov. 11(3):237-48. [QxMD MEDLINE Link]. Levine MN, Gent M, Hirsh J, et al. The thrombogenic effect of anticancer drug therapy in women with stage II breast cancer. *N Engl J Med.* 1988 Feb 18. 318(7):404-7. [QxMD MEDLINE Link]. Clagett GP, Reisch JS. Prevention of venous thromboembolism in general surgical patients. Results of meta-analysis. *Ann Surg.* 1988 Aug. 208(2):227-40. [QxMD MEDLINE Link]. [Full Text]. Clagett GP, Anderson FA Jr, Heit J, Levine MN, Wheeler HB. Prevention of venous thromboembolism. *Chest.* 1995 Oct. 108(4 Suppl):312S-334S. [QxMD MEDLINE Link]. Coagulation and thromboembolism in orthopaedic surgery. *Beatty JH, ed. Orthopaedic Knowledge Update.* Rosemont, IL: Amer Academy of Orthopaedic Surgeons; 1999. 6: 63-72. Kakkakar VV, Howe CT, Nicolaides AN, Renney JT, Clarke MB. Deep vein thrombosis of the leg. Is there a "high risk" group? *Am J Surg.* 1970 Oct. 120(4):527-30. [QxMD MEDLINE Link]. Dahlback B. Inherited thrombophilia: resistance to activated protein C as a pathogenic factor of venous thromboembolism. *Blood.* 1995 Feb 1. 85(3):607-14. [QxMD MEDLINE Link]. Motykie GD, Caprini JA, Arcelus JI, et al. Risk factor assessment in the management of patients with suspected deep venous thrombosis. *Int Angiol.* 2000 Mar. 19(1):47-51. [QxMD MEDLINE Link]. Motykie GD, Zebala LP, Caprini JA, et al. A guide to venous thromboembolism risk factor assessment. *J Thromb Thrombolysis.* 2000 Apr. 9(3):253-62. [QxMD MEDLINE Link]. Schafer AI. Hypercoagulable states: molecular genetics to clinical practice. *Lancet.* 1994 Dec 24-31. 344(8939-8940):1739-42. [QxMD MEDLINE Link]. Meissner MH, Strandness E. Pathophysiology and natural history of acute deep venous thrombosis. Rutherford's Vascular Surgery. In: Rutherford RB, ed. *Vascular Surgery.* 6th ed. Philadelphia: Saunders; 2005. 2124-42. Ho CH, Chau WK, HSU HC, Gau JP, Yu TJ. Causes of venous thrombosis in fifty Chinese patients. *Am J Hematol.* 2000 Feb. 63(2):74-8. [QxMD MEDLINE Link]. Vandenbroucke JP, Bloemenkamp KW, Rosendaal FR, Helmerhorst FM. Incidence of venous thromboembolism in users of combined oral contraceptives. *BMJ.* 2000 Jan 1. 320(7226):57-8. [QxMD MEDLINE Link]. Bollen L, Vande Casteele N, Ballet V, et al. Thromboembolism as an important complication of inflammatory bowel disease. *Eur J Gastroenterol Hepatol.* 2016 Jan. 28(1):1-7. [QxMD MEDLINE Link]. Cushman M, Tsai AW, White RH, et al. Deep vein thrombosis and pulmonary embolism in two cohorts: the longitudinal investigation of thromboembolism etiology. *Am J Med.* 2004 Jul 1. 117(1):19-25. [QxMD MEDLINE Link]. Ageno W, Becattini C, Brighton T, Selby R, Kamphuisen PW. Cardiovascular risk factors and venous thromboembolism: a meta-analysis. *Circulation.* 2008 Jan 1. 117(1):93-102. [QxMD MEDLINE Link]. Libby P, Luscher T. COVID-19 is, in the end, an endothelial disease. *Eur Heart J.* 2020 Sep 1. 41(32):3038-44. [QxMD MEDLINE Link]. Ranucci M, Balotta L, Di Dedda U, et al. The procoagulant pattern of patients with COVID-19 acute respiratory distress syndrome. *J Thromb Haemost.* 2020 Jul. 18(7):1747-51. [QxMD MEDLINE Link]. Spyropoulos AC, Crawford JM, Chen YC, et al. Occurrence of thromboembolic events and mortality among hospitalized coronavirus 2019 patients: large observational cohort study of electronic health records. *TH Open.* 2022 Oct. 6 (4):e408-20. [QxMD MEDLINE Link]. [Full Text]. Cushman M. Epidemiology and risk factors for venous thrombosis. *Semin Hematol.* 2007 Apr. 44(2):62-9. [QxMD MEDLINE Link]. [Full Text]. Afifi AM, Leverich M, Tadrousse K, Ren G, Nazzal M. Racial, biological sex, and geographic disparities of venous thromboembolism in the United States, 2016-2019. *J Vasc Res.* 2024 May 15. 101908. [QxMD MEDLINE Link]. [Full Text]. Cénat JM, Dromer E, Farahi SM. NDamage CM, Yun A, Zuta H, et al. Venous thromboembolism in Black COVID-19 patients in a minority context compared to White, Asian and other racialized patients: A systematic review and meta-analysis. *Thromb Res.* 2024 Jun. 238:197-205. [QxMD MEDLINE Link]. [Full Text]. Kahn SR, Shbaklo H, Lampzing DL, et al. Determinants of health-related quality of life during the 2 years following deep vein thrombosis. *J Thromb Haemost.* 2008 Jul. 6(7):1105-12. [QxMD MEDLINE Link]. [Full Text]. Clagett GP, Reisch JS. Prevention of upper extremity deep venous thrombosis: a prospective study. *Ann Intern Med.* 2000 Jun 6. 132(3):227-32. [QxMD MEDLINE Link]. Goldhaber SZ, Diagnozis A. Hemostatic alterations in cancer patients with stage II breast cancer. *N Engl J Med.* 1999 Dec. 32(6):1564-6. [QxMD MEDLINE Link]. Kleinjan