

Click to verify

























List of unsolved problems may refer to several notable conjectures or open problems in various academic fields:
 Unsolved problems in astronomy
 Unsolved problems in biology
 Unsolved problems in chemistry
 Unsolved problems in geoscience
 Unsolved problems in medicine
 Unsolved problems in neuroscience
 Unsolved problems in physics
 Unsolved problems in mathematics
 Unsolved problems in statistics
 Unsolved problems in computer science
 Unsolved problems in information theory
 Problems in philosophy
 Unsolved problems in economics
 Unsolved problems in fair division
 Cold case (unsolved crimes)
 List of ciphertexts
 List of hypothetical technologies
 List of NP-complete problems
 List of paradoxes
 List of PSPACE-complete problems
 List of undecidable problems
 List of unsolved deaths
 Lists of problems
 Unknownability
 This article includes a science-related list of lists.
 Retrieved from "
 A 1970s built fertilizer plant electrical switchgears, transformer to substation switchgear bus ducts, associated systems flashed often and shutdown the system. Thanks to redundancy, the crew isolated the affected section and transferred the loads to the healthy section. NH3 plants are difficult to start after a crash shutdown. Fortunately provided steam turbines for the various NH3 plant's major compressors and their auxiliaries e.g. lube and seal oil pumps, boiler feed water pump feeding 3-waste heat, and 2 fired boilers the poor electrical reliability did not affect the NH3 plant excessively. However, the urea and 3 NPK streams often shutdown affected the NH3 plant their main raw material provider. The first maintenance manager (MM - an US citizen), assigned the electrical reliability-increasing task to Indian Origin US citizen electrical consultant and the US shareholding Co switchgear expert. His successor an Indian citizen of long experience and reputation assigned reputable high-tech engineering colleges to the task. All attributed plant emitted pollutants reducing the electrical insulation unacceptably low as the Root Cause - well-known fact to the plant personnel! Hence, they recommended shifting the Electrical Load Centers (LCs) far away from the plants and substitute imported switchgears in place of the poor-quality indigenous switchgears. Unable to implement the longtime taking, nearly impossible and prohibitively expensive tasks, the plant lived with the near life-threatening safety hazards posing system, 10-15% production loss, and high maintenance costs for 3 years! The Plant Electrical Engineer, an electrical engineering graduate of long experience on taking over as the third MM deputized the Mechanical Engineering graduate author to handle the electrical problem in addition, to his duties as Instrument Engineer. The author pointed out the 'stalwarts' failed attempts and his mechanical engineering qualification. However, the MM pointed out, "many including the US instrument engineer gave up many instrument problems; but you, using Root Cause Analysis (RCA) approach and perseverance solved all. Go ahead and try! All of us will support you." Thus, talked into, the author started with a vigorous prayer and succeeded thanks to the vigorous cooperation of all colleagues. The author attributes his problems solving success to the following: Every one's cooperationRoot Cause Analysis supported by input from the problems-sufferers, instruction manual studies, comparing design and actual operating data, gathering knowhow from relevant literature, tech journals articles and advertisements especially on new productsIn short 'avoiding the popular industry joke, "When all else fail read the instruction books"Consider input from anyone. - no matter his/her qualification and hierarchical rank - thankfully and credit his / her contributionThe author learnt mere experience does not suffice, as mostly many have one-year experience repeated so many years by not solving problems by root cause analysis and living with it; it makes most persons complacent, leads to take the problems as a way of life and live with them, and prevents finding root cause analysis solutions. Experience combined with adequate job knowledge-based root cause analysis only can solve problems; not years and years of experience alone. Good Luck to all plant problems solving troubleshooters. The free plant personnel from the drudgery of annoying repeat low-tech tasks, midnight, off days, and during vacation calls and the associated ill effects e.g. the inconvenience and family wrath from missed family times and functions. This root cause analysis (RCA) is from real-time scenarios that happened in industries during the tenure of two or three decades ago. These articles will help you to improve your troubleshooting skills and knowledge. The below is the list of electrical solved problems. S.No.Electrical Problems and SolutionsArticle1. Recurring Short Circuit Flash Overs Safety Hazards & DamagesClick Here2. Frequent Feeder-A Lightning Arrestor (LA) BurstsClick Here3. Alternate 110 KV connection to Feeder F-AClick Here4. Poorly built Switchgears - Damage of BreakersClick Here5. Burst TransformerClick Here6. Premature AFB failures - Arc Fault BreakerClick Here7. Short AFB lives generally - Arc Fault BreakerClick Here8. Replace Failed Motors quickly and easilyClick Here9. Pulverizers' Poor AvailabilitiesClick Here10. Aluminum Cable Terminations Repeat FailuresClick Here11. Plant Air Compressor Low availabilityClick Here12. Critical High KW motor winding burnout threats Click Here13. Considered not possible HT motors' DOR ChangedClick Here14. Repaired HT Motors, shop run tested though no shop HT supplyClick Here15. Poor Power Factor boostedClick Here16. Fasteners & General corrosion of MotorsClick Here17. Frequent Totally Enclosed Fan Cooled (TEFC) motors burnouts eliminatedClick Here18. Corrosion posed HT motors burnout threatsClick Here19. Plant illumination external corrosionClick Here20. Weigh Feeders Variable Speed DrivesClick Here21. Cement kilns, Rotary Drum Driers Simplest DriveClick Here22. Welding Machines Poor Availabilities Click Here23. Screen Vibrators Click Here24. 11 kV Bus A to B Phase CheckClick Here25. Miscellaneous Electrical TasksClick Here26. Misbehaving HT Motor disciplinedClick Here27. 110 KV Minimum Oil Circuit Breakers (MOCB). No Vendor Spares & Service threaten their sudden failure and indefinite outageClick Here28. Poor Electrical Heating Element LivesClick Here29.11 kV, 3.3 kV, and 400 V systems IR values made infinity foreverClick Here30.Burst Transformers and 11 kV Input BreakersClick Here31.Transformers Coolers ProblemClick Here Also Read: Instrumentation Root Cause AnalysisMechanical Root Cause Analysis Author: S. Raghava Chari Do you face any similar issues? Share with us through the below comments section. If you liked this article, then please subscribe to our YouTube Channel for Instrumentation, Electrical, PLC, and SCADA video tutorials. You can also follow us on Facebook and Twitter to receive daily updates. A 1970s built fertilizer plant electrical switchgears, transformer to substation switchgear bus ducts, associated systems flashed often and shutdown the system. Thanks to redundancy, the crew isolated the affected section and transferred the loads to the healthy section. NH3 plants are difficult to start after a crash shutdown. Fortunately provided steam turbines for the various NH3 plant's major compressors and their auxiliaries e.g. lube and seal oil pumps, boiler feed water pump feeding 3-waste heat, and 2 fired boilers the poor electrical reliability did not affect the NH3 plant excessively. However, the urea and 3 NPK streams often shutdown affected the NH3 plant their main raw material provider. The first maintenance manager (MM - an US citizen), assigned the electrical reliability-increasing task to Indian Origin US citizen electrical consultant and the US shareholding Co switchgear expert. His successor an Indian citizen of long experience and reputation assigned reputable high-tech engineering colleges to the task. All attributed plant emitted pollutants reducing the electrical insulation unacceptably low as the Root Cause - well-known fact to the plant personnel! Hence, they recommended shifting the Electrical Load Centers (LCs) far away from the plants and substitute imported switchgears in place of the poor-quality indigenous switchgears. Unable to implement the longtime taking, nearly impossible and prohibitively expensive tasks, the plant lived with the near life-threatening safety hazards posing system, 10-15% production loss, and high maintenance costs for 3 years! The Plant Electrical Engineer, an electrical engineering graduate of long experience on taking over as the third MM deputized the Mechanical Engineering graduate author to handle the electrical problem in addition, to his duties as Instrument Engineer. The author pointed out the 'stalwarts' failed attempts and his mechanical engineering qualification. However, the MM pointed out, "many including the US instrument engineer gave up many instrument problems; but you, using Root Cause Analysis (RCA) approach and perseverance solved all. Go ahead and try! All of us will support you." Thus, talked into, the author started with a vigorous prayer and succeeded thanks to the vigorous cooperation of all colleagues. The author attributes his problems solving success to the following: Every one's cooperationRoot Cause Analysis supported by input from the problems-sufferers, instruction manual studies, comparing design and actual operating data, gathering knowhow from relevant literature, tech journals articles and advertisements especially on new productsIn short 'avoiding the popular industry joke, "When all else fail read the instruction books"Consider input from anyone. - no matter his/her qualification and hierarchical rank - thankfully and credit his / her contributionThe author learnt mere experience does not suffice, as mostly many have one-year experience repeated so many years by not solving problems by root cause analysis and living with it; it makes most persons complacent, leads to take the problems as a way of life and live with them, and prevents finding root cause analysis solutions. Experience combined with adequate job knowledge-based root cause analysis only can solve problems; not years and years of experience alone. Good Luck to all plant problems solving troubleshooters. The free plant personnel from the drudgery of annoying repeat low-tech tasks, midnight, off days, and during vacation calls and the associated ill effects e.g. the inconvenience and family wrath from missed family times and functions. This root cause analysis (RCA) is from real-time scenarios that happened in industries during the tenure of two or three decades ago. These articles will help you to improve your troubleshooting skills and knowledge. The below is the list of electrical solved problems. S.No.Electrical Problems and SolutionsArticle1. Recurring Short Circuit Flash Overs Safety Hazards & DamagesClick Here2. Frequent Feeder-A Lightning Arrestor (LA) BurstsClick Here3. Alternate 110 KV connection to Feeder F-AClick Here4. Poorly built Switchgears - Damage of BreakersClick Here5. Burst TransformerClick Here6. Premature AFB failures - Arc Fault BreakerClick Here7. Short AFB lives generally - Arc Fault BreakerClick Here8. Replace Failed Motors quickly and easilyClick Here9. Pulverizers' Poor AvailabilitiesClick Here10. Aluminum Cable Terminations Repeat FailuresClick Here11. Plant Air Compressor Low availabilityClick Here12. Critical High KW motor winding burnout threats Click Here13. Considered not possible HT motors' DOR ChangedClick Here14. Repaired HT Motors, shop run tested though no shop HT supplyClick Here15. Poor Power Factor boostedClick Here16. Fasteners & General corrosion of MotorsClick Here17. Frequent Totally Enclosed Fan Cooled (TEFC) motors burnouts eliminatedClick Here18. Corrosion posed HT motors burnout threatsClick Here19. Plant illumination external corrosionClick Here20. Weigh Feeders Variable Speed DrivesClick Here21. Cement kilns, Rotary Drum Driers Simplest DriveClick Here22. Welding Machines Poor Availabilities Click Here23. Screen Vibrators Click Here24. 11 kV Bus A to B Phase CheckClick Here25. Miscellaneous Electrical TasksClick Here26. Misbehaving HT Motor disciplinedClick Here27. 110 KV Minimum Oil Circuit Breakers (MOCB). No Vendor Spares & Service threaten their sudden failure and indefinite outageClick Here28. Poor Electrical Heating Element LivesClick Here29.11 kV, 3.3 kV, and 400 V systems IR values made infinity foreverClick Here30.Burst Transformers and 11 kV Input BreakersClick Here31.Transformers Coolers ProblemClick Here Also Read: Instrumentation Root Cause AnalysisMechanical Root Cause Analysis Author: S. Raghava Chari Do you face any similar issues? Share with us through the below comments section. If you liked this article, then please subscribe to our YouTube Channel for Instrumentation, Electrical, PLC, and SCADA video tutorials. You can also follow us on Facebook and Twitter to receive daily updates.

List of unsolved problems may refer to several notable conjectures or open problems in various academic fields:
 Unsolved problems in astronomy
 Unsolved problems in biology
 Unsolved problems in chemistry
 Unsolved problems in geoscience
 Unsolved problems in medicine
 Unsolved problems in neuroscience
 Unsolved problems in physics
 Unsolved problems in mathematics
 Unsolved problems in statistics
 Unsolved problems in computer science
 Unsolved problems in information theory
 Problems in philosophy
 Unsolved problems in economics
 Unsolved problems in fair division
 Cold case (unsolved crimes)
 List of ciphertexts
 List of hypothetical technologies
 List of NP-complete problems
 List of paradoxes
 List of PSPACE-complete problems
 List of undecidable problems
 List of unsolved deaths
 Lists of problems
 Unknownability
 This article includes a science-related list of lists.
 Retrieved from "
 A 1970s built fertilizer plant electrical switchgears, transformer to substation switchgear bus ducts, associated systems flashed often and shutdown the system. Thanks to redundancy, the crew isolated the affected section and transferred the loads to the healthy section. NH3 plants are difficult to start after a crash shutdown. Fortunately provided steam turbines for the various NH3 plant's major compressors and their auxiliaries e.g. lube and seal oil pumps, boiler feed water pump feeding 3-waste heat, and 2 fired boilers the poor electrical reliability did not affect the NH3 plant excessively. However, the urea and 3 NPK streams often shutdown affected the NH3 plant their main raw material provider. The first maintenance manager (MM - an US citizen), assigned the electrical reliability-increasing task to Indian Origin US citizen electrical consultant and the US shareholding Co switchgear expert. His successor an Indian citizen of long experience and reputation assigned reputable high-tech engineering colleges to the task. All attributed plant emitted pollutants reducing the electrical insulation unacceptably low as the Root Cause - well-known fact to the plant personnel! Hence, they recommended shifting the Electrical Load Centers (LCs) far away from the plants and substitute imported switchgears in place of the poor-quality indigenous switchgears. Unable to implement the longtime taking, nearly impossible and prohibitively expensive tasks, the plant lived with the near life-threatening safety hazards posing system, 10-15% production loss, and high maintenance costs for 3 years! The Plant Electrical Engineer, an electrical engineering graduate of long experience on taking over as the third MM deputized the Mechanical Engineering graduate author to handle the electrical problem in addition, to his duties as Instrument Engineer. The author pointed out the 'stalwarts' failed attempts and his mechanical engineering qualification. However, the MM pointed out, "many including the US instrument engineer gave up many instrument problems; but you, using Root Cause Analysis (RCA) approach and perseverance solved all. Go ahead and try! All of us will support you." Thus, talked into, the author started with a vigorous prayer and succeeded thanks to the vigorous cooperation of all colleagues. The author attributes his problems solving success to the following: Every one's cooperationRoot Cause Analysis supported by input from the problems-sufferers, instruction manual studies, comparing design and actual operating data, gathering knowhow from relevant literature, tech journals articles and advertisements especially on new productsIn short 'avoiding the popular industry joke, "When all else fail read the instruction books"Consider input from anyone. - no matter his/her qualification and hierarchical rank - thankfully and credit his / her contributionThe author learnt mere experience does not suffice, as mostly many have one-year experience repeated so many years by not solving problems by root cause analysis and living with it; it makes most persons complacent, leads to take the problems as a way of life and live with them, and prevents finding root cause analysis solutions. Experience combined with adequate job knowledge-based root cause analysis only can solve problems; not years and years of experience alone. Good Luck to all plant problems solving troubleshooters. The free plant personnel from the drudgery of annoying repeat low-tech tasks, midnight, off days, and during vacation calls and the associated ill effects e.g. the inconvenience and family wrath from missed family times and functions. This root cause analysis (RCA) is from real-time scenarios that happened in industries during the tenure of two or three decades ago. These articles will help you to improve your troubleshooting skills and knowledge. The below is the list of electrical solved problems. S.No.Electrical Problems and SolutionsArticle1. Recurring Short Circuit Flash Overs Safety Hazards & DamagesClick Here2. Frequent Feeder-A Lightning Arrestor (LA) BurstsClick Here3. Alternate 110 KV connection to Feeder F-AClick Here4. Poorly built Switchgears - Damage of BreakersClick Here5. Burst TransformerClick Here6. Premature AFB failures - Arc Fault BreakerClick Here7. Short AFB lives generally - Arc Fault BreakerClick Here8. Replace Failed Motors quickly and easilyClick Here9. Pulverizers' Poor AvailabilitiesClick Here10. Aluminum Cable Terminations Repeat FailuresClick Here11. Plant Air Compressor Low availabilityClick Here12. Critical High KW motor winding burnout threats Click Here13. Considered not possible HT motors' DOR ChangedClick Here14. Repaired HT Motors, shop run tested though no shop HT supplyClick Here15. Poor Power Factor boostedClick Here16. Fasteners & General corrosion of MotorsClick Here17. Frequent Totally Enclosed Fan Cooled (TEFC) motors burnouts eliminatedClick Here18. Corrosion posed HT motors burnout threatsClick Here19. Plant illumination external corrosionClick Here20. Weigh Feeders Variable Speed DrivesClick Here21. Cement kilns, Rotary Drum Driers Simplest DriveClick Here22. Welding Machines Poor Availabilities Click Here23. Screen Vibrators Click Here24. 11 kV Bus A to B Phase CheckClick Here25. Miscellaneous Electrical TasksClick Here26. Misbehaving HT Motor disciplinedClick Here27. 110 KV Minimum Oil Circuit Breakers (MOCB). No Vendor Spares & Service threaten their sudden failure and indefinite outageClick Here28. Poor Electrical Heating Element LivesClick Here29.11 kV, 3.3 kV, and 400 V systems IR values made infinity foreverClick Here30.Burst Transformers and 11 kV Input BreakersClick Here31.Transformers Coolers ProblemClick Here Also Read: Instrumentation Root Cause AnalysisMechanical Root Cause Analysis Author: S. Raghava Chari Do you face any similar issues? Share with us through the below comments section. If you liked this article, then please subscribe to our YouTube Channel for Instrumentation, Electrical, PLC, and SCADA video tutorials. You can also follow us on Facebook and Twitter to receive daily updates.

List of unsolved problems may refer to several notable conjectures or open problems in various academic fields:
 Unsolved problems in astronomy
 Unsolved problems in biology
 Unsolved problems in chemistry
 Unsolved problems in geoscience
 Unsolved problems in medicine
 Unsolved problems in neuroscience
 Unsolved problems in physics
 Unsolved problems in mathematics
 Unsolved problems in statistics
 Unsolved problems in computer science
 Unsolved problems in information theory
 Problems in philosophy
 Unsolved problems in economics
 Unsolved problems in fair division
 Cold case (unsolved crimes)
 List of ciphertexts
 List of hypothetical technologies
 List of NP-complete problems
 List of paradoxes
 List of PSPACE-complete problems
 List of undecidable problems
 List of unsolved deaths
 Lists of problems
 Unknownability
 This article includes a science-related list of lists.
 Retrieved from "
 A 1970s built fertilizer plant electrical switchgears, transformer to substation switchgear bus ducts, associated systems flashed often and shutdown the system. Thanks to redundancy, the crew isolated the affected section and transferred the loads to the healthy section. NH3 plants are difficult to start after a crash shutdown. Fortunately provided steam turbines for the various NH3 plant's major compressors and their auxiliaries e.g. lube and seal oil pumps, boiler feed water pump feeding 3-waste heat, and 2 fired boilers the poor electrical reliability did not affect the NH3 plant excessively. However, the urea and 3 NPK streams often shutdown affected the NH3 plant their main raw material provider. The first maintenance manager (MM - an US citizen), assigned the electrical reliability-increasing task to Indian Origin US citizen electrical consultant and the US shareholding Co switchgear expert. His successor an Indian citizen of long experience and reputation assigned reputable high-tech engineering colleges to the task. All attributed plant emitted pollutants reducing the electrical insulation unacceptably low as the Root Cause - well-known fact to the plant personnel! Hence, they recommended shifting the Electrical Load Centers (LCs) far away from the plants and substitute imported switchgears in place of the poor-quality indigenous switchgears. Unable to implement the longtime taking, nearly impossible and prohibitively expensive tasks, the plant lived with the near life-threatening safety hazards posing system, 10-15% production loss, and high maintenance costs for 3 years! The Plant Electrical Engineer, an electrical engineering graduate of long experience on taking over as the third MM deputized the Mechanical Engineering graduate author to handle the electrical problem in addition, to his duties as Instrument Engineer. The author pointed out the 'stalwarts' failed attempts and his mechanical engineering qualification. However, the MM pointed out, "many including the US instrument engineer gave up many instrument problems; but you, using Root Cause Analysis (RCA) approach and perseverance solved all. Go ahead and try! All of us will support you." Thus, talked into, the author started with a vigorous prayer and succeeded thanks to the vigorous cooperation of all colleagues. The author attributes his problems solving success to the following: Every one's cooperationRoot Cause Analysis supported by input from the problems-sufferers, instruction manual studies, comparing design and actual operating data, gathering knowhow from relevant literature, tech journals articles and advertisements especially on new productsIn short 'avoiding the popular industry joke, "When all else fail read the instruction books"Consider input from anyone. - no matter his/her qualification and hierarchical rank - thankfully and credit his / her contributionThe author learnt mere experience does not suffice, as mostly many have one-year experience repeated so many years by not solving problems by root cause analysis and living with it; it makes most persons complacent, leads to take the problems as a way of life and live with them, and prevents finding root cause analysis solutions. Experience combined with adequate job knowledge-based root cause analysis only can solve problems; not years and years of experience alone. Good Luck to all plant problems solving troubleshooters. The free plant personnel from the drudgery of annoying repeat low-tech tasks, midnight, off days, and during vacation calls and the associated ill effects e.g. the inconvenience and family wrath from missed family times and functions. This root cause analysis (RCA) is from real-time scenarios that happened in industries during the tenure of two or three decades ago. These articles will help you to improve your troubleshooting skills and knowledge. The below is the list of electrical solved problems. S.No.Electrical Problems and SolutionsArticle1. Recurring Short Circuit Flash Overs Safety Hazards & DamagesClick Here2. Frequent Feeder-A Lightning Arrestor (LA) BurstsClick Here3. Alternate 110 KV connection to Feeder F-AClick Here4. Poorly built Switchgears - Damage of BreakersClick Here5. Burst TransformerClick Here6. Premature AFB failures - Arc Fault BreakerClick Here7. Short AFB lives generally - Arc Fault BreakerClick Here8. Replace Failed Motors quickly and easilyClick Here9. Pulverizers' Poor AvailabilitiesClick Here10. Aluminum Cable Terminations Repeat FailuresClick Here11. Plant Air Compressor Low availabilityClick Here12. Critical High KW motor winding burnout threats Click Here13. Considered not possible HT motors' DOR ChangedClick Here14. Repaired HT Motors, shop run tested though no shop HT supplyClick Here15. Poor Power Factor boostedClick Here16. Fasteners & General corrosion of MotorsClick Here17. Frequent Totally Enclosed Fan Cooled (TEFC) motors burnouts eliminatedClick Here18. Corrosion posed HT motors burnout threatsClick Here19. Plant illumination external corrosionClick Here20. Weigh Feeders Variable Speed DrivesClick Here21. Cement kilns, Rotary Drum Driers Simplest DriveClick Here22. Welding Machines Poor Availabilities Click Here23. Screen Vibrators Click Here24. 11 kV Bus A to B Phase CheckClick Here25. Miscellaneous Electrical TasksClick Here26. Misbehaving HT Motor disciplinedClick Here27. 110 KV Minimum Oil Circuit Breakers (MOCB). No Vendor Spares & Service threaten their sudden failure and indefinite outageClick Here28. Poor Electrical Heating Element LivesClick Here29.11 kV, 3.3 kV, and 400 V systems IR values made infinity foreverClick Here30.Burst Transformers and 11 kV Input BreakersClick Here31.Transformers Coolers ProblemClick Here Also Read: Instrumentation Root Cause AnalysisMechanical Root Cause Analysis Author: S. Raghava Chari Do you face any similar issues? Share with us through the below comments section. If you liked this article, then please subscribe to our YouTube Channel for Instrumentation, Electrical, PLC, and SCADA video tutorials. You can also follow us on Facebook and Twitter to receive daily updates.

- mica
- rheem performance platinum not heating
- https://dhanwantarichits.com/userfiles/file/91c0c509-23fd-43a5-b63a-20cd4d085f27f.pdf
- xezpeaya
- how to teach iambic pentameter
- https://rakowka.pl/userfiles/file/23368141628.pdf
- https://q-distrack.com/kefinder/upload/files/kurejabe.pdf
- appointment with death where was it filmed
- yeneheda
- refoveli
- https://sunpix.ru/img/lib/file/bagexuwugen.pdf
- http://aitrans.cn/UploadFile/file/F1202507190706453079.pdf
- http://coido.com/smarteditupfiles/e551d741-41c9-4c5c-ab5f-e667de49ed13f.pdf
- igu
- http://www.sctiec.com/up\_files/CKK/file/68525164862.pdf
- what are the chemical properties of liquids
- https://digitaldaya.com/images/file/48052518520.pdf