


Continue



16-08-2024 Team Medicoever general-medicine Written by Medicoever Team and Medically Reviewed by Dr S S Amarendra Babu Daflon 500 mg is a well-known medication primarily used to treat a variety of vascular conditions. This comprehensive guide explores the Daflon 500 mg uses, benefits, and potential side effects of Daflon 500 mg, giving you a clear understanding of what Daflon is used for and why it might be prescribed for conditions such as leg pain, varicose veins, and haemorrhoids.What is Daflon 500 mg?Daflon 500 mg is a venotonic and vascular protector medication. It contains two active ingredients: diosmin and hesperidin. These compounds belong to a class of drugs known as flavonoids, which are plant-based antioxidants. Daflon 500 mg improves blood circulation, reduces inflammation, and strengthens blood vessels. It is commonly prescribed for conditions like chronic venous insufficiency, varicose veins, and haemorrhoids. Get a second opinion from trusted experts and makeconfident, informed decisions. Get Second Opinion Uses of Daflon 500 mgDaflon 500 mg for Varicose VeinsVaricose veins are swollen, twisted veins that often appear on the legs. They can cause discomfort, pain, and sometimes more severe circulatory problems. Daflon 500 mg works by improving blood flow and reducing the inflammation and swelling associated with varicose veins.Daflon 500 mg for HemorrhoidsHemorrhoids are swollen veins in the lower rectum and anus, causing pain, itching, and bleeding. Daflon 500 mg is effective in treating haemorrhoids by reducing inflammation and improving venous tone. It helps alleviate symptoms and promotes healing.Daflon 500 mg for Leg PainChronic venous insufficiency (CVI) is a condition where the veins in the legs cannot pump enough blood back to the heart. This can cause leg pain, swelling, and fatigue. Daflon 500 mg enhances venous return and reduces symptoms of CVI, providing relief from leg pain and discomfort.Daflon 500 Instruction: Dosage and AdministrationDaflon 500 mg Dosage InstructionsThe recommended Daflon 500 mg dosage instructions vary depending on the condition being treated:For chronic venous insufficiency: The typical dosage is one tablet twice a day, taken with meals.For acute hemorrhoidal attack: The recommended dosage is six tablets per day for the first four days, followed by four tablets per day for the next three days.Daflon 500 how to take: Always follow your healthcare providers guidance regarding how and when to take Daflon 500 mg for best results.How Does Daflon 500 Work?Mechanism of ActionHow does Daflon 500 work? Daflon 500 mg works by increasing the tone of the veins and protecting the microcirculation. Diosmin and hesperidin help to reduce the permeability of capillaries and reinforce the strength of blood vessel walls. This results in improved blood flow, reduced inflammation, and decreased swelling, effectively treating the symptoms of venous disorders.Function of Daflon 500 mg: Key BenefitsImproved Blood CirculationOne of the primary benefits of Daflon 500 mg is its ability to enhance blood circulation. Improving venous tone and protecting the microcirculation helps reduce the symptoms associated with venous insufficiency, such as swelling, pain, and heaviness in the legs.Reduced InflammationDaflon 500 mg has anti-inflammatory properties that help to reduce swelling and inflammation in the veins. This is particularly beneficial for conditions like haemorrhoids and varicose veins, where inflammation plays a significant role in symptom severity.Strengthened Blood VesselsThe active ingredients in Daflon 500 mg, diosmin and hesperidin help to strengthen the walls of blood vessels, making them less prone to damage and leakage. This contributes to overall vascular health and reduces the risk of complications related to venous disorders.Symptom ReliefBy addressing the underlying issues of poor blood circulation and inflammation, Daflon 500 mg effectively relieves symptoms of conditions like leg pain, varicose veins, and haemorrhoids. Patients often experience a significant reduction in pain, swelling, and discomfort.While Daflon 500 mg is generally well-tolerated, some individuals may experience side effects. Common Daflon side effects include:Gastrointestinal Issues such as nausea, diarrhoea, and abdominal painHeadache and dizzinessSkin reactions like rash or itchingif you experience any severe or persistent side effects, consult your healthcare provider immediately.Who Should Not Take Daflon 500 mg?Certain individuals should avoid taking Daflon 500 mg or use it with caution:Pregnant or breastfeeding women: Always consult your healthcare provider before using Daflon 500 mg during pregnancy or while breastfeeding.Individuals with allergies: If you're allergic to diosmin, hesperidin, or any components of the drug, do not take Daflon 500 mg.Patients with specific health conditions: Inform your doctor about any existing health conditions or medications, as they may interact with Daflon 500 mg. What is the function of Daflon 500 mg? Daflon 500 mg is a powerful medication that treats venous disorders like varicose veins, haemorrhoids, and chronic leg pain. By improving blood flow, reducing inflammation, and strengthening vein walls, it offers effective and lasting relief.To ensure safety and effectiveness, always follow Daflon 500 instructions and consult your healthcare provider about Daflon 500 mg uses, dosage, and any potential side effects. When used appropriately, Daflon 500 mg can significantly improve your vascular health and overall quality of life. Frequently Asked Questions Yes, Daflon 500 mg can be taken long-term, especially for chronic conditions like chronic venous insufficiency or varicose veins. However, long-term use should be monitored by a healthcare provider to ensure safety and effectiveness.Daflon 500 mg may help reduce the appearance and symptoms of spider veins by improving microcirculation and vein strength, though it is more commonly used for larger varicose veins and venous insufficiency. It is recommended to take Daflon 500 mg with meals to minimize the risk of gastrointestinal side effects like nausea or stomach upset. Some patients may notice improvement within a few days, especially for haemorrhoids. For chronic conditions like varicose veins or CVI, noticeable results typically appear after a few weeks of regular use. Daflon generally has a low risk of drug interactions, but you should always inform your doctor about all medications and supplements you're taking to avoid potential interactions. Table of content Written by Pharmacist Nguyen Van Thang - Department of Pharmacy - Vinmec Times City International General HospitalDepending on the severity and condition of the disease, hemorrhoids can be treated conservatively or surgically. Hemorrhoid management will include a combination of dietary changes, increased water intake, lifestyle modifications, and the use of some common hemorrhoid medications. 1. Composition and Uses of Daflon 500mg Daflon 500mg is a tablet containing a mixture of fractionated flavonoids, represented by two components: diosmin 450mg and hesperidin 50mg.The drug has the effect of reducing tension and congestion of veins, protecting and strengthening small blood vessels. Therefore, Daflon 500mg is often used in the following cases:Venous circulatory disorders (swollen, painful, restless legs)Symptoms of acute hemorrhoids 2 Dosage of Daflon 500mg Daflon 500mg for venous insufficiency treatment For venous insufficiency: 1 tablet x2 times/day with meals.For acute hemorrhoids: 6 tablets for the first 4 days, then 4 tablets for the next 3 days, taken with meals. 3. Side Effects of Daflon 500mg When using the drug, you may experience some undesirable effects, the most common being gastrointestinal effects such as diarrhea, indigestion, nausea, and vomiting. In a few cases, users may experience dizziness, headache, discomfort, rash, and itching.Although very rare, there have been cases of sudden swelling of the face, lips, mouth, and tongue, causing difficulty breathing. If you experience these symptoms, contact your doctor or go to the nearest medical facility immediately. Diarrhea as a common side effect of Daflon 500mg 4. Precautions When Using Daflon 500mg Do not use the drug if you are allergic to any of its components.If you forget a dose, take it as soon as you remember. If it is near the time of the next dose, skip the missed dose and take the next dose as usual. Do not double the dose to make up for the missed dose. The use of the drug should also be combined with non-drug therapies.For venous insufficiency:Combine with postural therapy (elevate legs when sleeping)Implement a weight loss plan (if overweight)Avoid standing for too long, and consider wearing compression stockings. Consult your doctor/pharmacist for advice on the appropriate size of stockings.Engage in suitable physical activities (swimming, cycling, dancing, etc.) For acute hemorrhoids:Eat more fiber (green vegetables, fruits), drink plenty of water, unless otherwise directed by your doctor or pharmacist.You can use other medications to reduce pain, reduce irritation, and other symptoms (if any). If your condition does not improve after 15 days of using the drug, you should notify your doctor.Store the drug below 30C and keep out of the reach of children. In addition to medications, there are also some products that can be used to reduce the symptoms of hemorrhoids. You can refer to the Hemorrhoid Treatment Package. Vinmec International General Hospital, with its modern facilities, medical equipment, and a team of experienced experts and doctors, allows patients to feel completely assured when examining and treating diseases at the hospital. To arrange an appointment, please call the HOTLINE or make your reservation directly HERE. You may also download the MyVinmec app to schedule appointments faster and manage your reservations more conveniently. Daflon is a trusted medication used to manage conditions related to poor blood circulation, such as varicose veins, hemorrhoids (piles), and lymphedema. It is a venotonic medicine, meaning it strengthens veins and improves their function, helping to reduce symptoms like pain, swelling, and discomfort.Available in two formulations,Daflon 500 mg and Daflon 1000 mg-it contains active ingredients diosmin and hesperidin, which are flavonoids derived from citrus fruits. These compounds are known for their ability to support vein health and reduce inflammation, making Daflon a popular choice for those with venous disorders.What is Daflon?Daflon 500 mg Tablet is used for the treatment of acute or chronic hemorrhoids, varicose veins, and lymphedema. It improves blood flow in the veins and restores their function.Daflon tablets are taken with or without food at the dose and duration recommended by the doctor. You should continue to take this medicine for as long as your doctor recommends. If you stop taking it too early, your symptoms may recur and your condition may worsen. Let your doctor know about all other medications you are taking, as some of them may affect, or be affected by, this medicine. What are the benefits and Uses of Daflon?Daflon is commonly prescribed for conditions caused by poor blood circulation. It addresses several venous issues, including:Primary benefitsVaricose Veins: Varicose veins occur when blood flow from the legs to the heart is impaired, causing discomfort. Daflon 500 mg helps improve blood flow, reduces leakage and rupture of veins, prevents blood clotting, and acts as an antioxidant to promote healing. This relieves symptoms like inflammation and pain, helping you carry out daily activities more comfortably and improving quality of life.Hemorrhoids (Piles): Daflon 500 mg and Daflon 1000 mg promote healing in both acute and chronic hemorrhoids. They reduce pain, swelling, irritation, and itching caused by piles. For best results, avoid spicy or oily foods and include plenty of fiber in your diet to aid digestion and speed recovery.Lymphedema: This condition involves swelling due to fluid buildup in tissues. Daflon improves the circulatory system, reducing swelling and relieving associated pain or inflammation. Regular exercise and massage can further enhance recovery.Chronic Venous Insufficiency: Daflon alleviates symptoms like leg heaviness, pain, and swelling by enhancing venous return and reducing fluid leakage from capillaries. Studies suggest it significantly reduces leg circumference in cases of edema.Secondary UsesDaflon may also help with leg cramps, nocturnal discomfort, and venous ulcers by supporting tissue repair and reducing inflammation.How Does Daflon Work?Daflon targets the underlying causes of venous disorders through several mechanisms:Strengthening Veins: It increases the tone of veins, helping blood flow back to the heart more efficiently.Reducing Fluid Leakage: It stabilizes capillary walls, preventing fluid from leaking into surrounding tissues, which reduces swelling.Protecting Microcirculation: Daflon acts as an antioxidant, reducing inflammation and protecting small blood vessels from damage.Enhancing Lymphatic Drainage: It supports the lymphatic system, helping to clear fluid buildup and reduce swelling.These actions make Daflon effective for conditions where blood flow is compromised, such as varicose veins, hemorrhoids, and lymphedema.Daflon DosageThe Daflon dosage for hemorrhoids and other conditions varies based on the formulation and severity of the condition. Always follow your doctor's instructions for the correct dose and duration. 1.Chronic Venous Insufficiency and LymphedemaStandard Dose: 500 mg taken twice daily with meals.Maintenance Dose: Some regimens may adjust to 1000 mg once daily, but always follow your healthcare provider's instructions.2.Acute Hemorrhoidal AttacksInitial Intensive Phase: 6 tablets per day (3 tablets in the morning and 3 in the evening) for the first 4 days.Following Phase: 4 tablets per day (2 tablets in the morning and 2 in the evening) for the next 3 days.Maintenance Dose: After the acute phase, the dosage may be adjusted to 1 tablet twice daily for ongoing management, as directed by a healthcare provider.3.Chronic Hemorrhoidal DiseaseStandard Dose: 500 mg taken twice daily with meals.4.Administration TipsWith Food: Taking Daflon with meals can help minimize potential gastrointestinal side effects.Consistent Timing: Try to take the medication at the same time each day to maintain an even level of the drug in your bloodstream.What Should I Do If I Miss a Dose?If you miss a dose, take it as soon as you remember, unless it's nearly time for your next dose. In that case, skip the missed dose and continue with your regular schedule. Do not take a double dose to make up for a missed one.What Happens If I Overdose?Overdosing on Daflon is rare, but symptoms may include diarrhea, nausea, abdominal pain, itching, or rash. If you suspect an overdose, contact your doctor or seek medical attention immediately.What to Avoid:Alcohol: Avoid alcohol, as it may worsen hemorrhoids or other venous conditions.Lifestyle Factors: Avoid tight clothing, prolonged standing, and heavy lifting. Maintain a high-fiber diet with fruits, vegetables, and whole grains to prevent constipation. Rinse legs with cold water to improve circulation, and avoid spicy or fatty foods.Dosage Note: Follow your doctor's guidance, as stopping Daflon too early may lead to symptom recurrence. Get a second opinion from trusted experts and makeconfident, informed decisions. Get Second Opinion Daflon is generally well-tolerated; however, some individuals may experience side effects. Daflon side effects include:Common & Serious Side Effects Most side effects are temporary and resolve over time. If you experience severe or persistent symptoms, contact your doctor immediately. Drinking plenty of fluids can help prevent dehydration if diarrhea occurs. PrecautionsBefore taking Daflon, consider the following precautions:Pregnancy: Limited data exists on Daflon's effects during pregnancy. Consult your doctor if you are pregnant or planning to become pregnant.Breastfeeding: Avoid breastfeeding while taking Daflon, as its effects on breastmilk are unknown. Discuss with your doctor before use.Driving: Daflon may cause dizziness in some people. Avoid driving or operating machinery if you feel unwell or dizzy.Alcohol: Do not consume alcohol, as it can worsen conditions like hemorrhoids.Liver or Kidney Problems: Use with caution if you have liver or kidney issues, as dosage adjustments may be needed.Allergies: Avoid Daflon if you are allergic to diosmin, hesperidin, or any other ingredients.Duration of Use: Do not take Daflon for more than three months without medical supervision. If hemorrhoid symptoms persist after 15 days, consult your doctor.Are There Any Age Restrictions for Using Daflon?Daflon is generally safe for adults, but a doctor should guide its use in children or elderly patients. Always follow medical advice for age-specific precautions.Precaution Note: Consult your doctor before starting Daflon, especially if you have pre-existing conditions or are taking other medications.Possible Interactions with Other MedicationsDaflon may interact with other medications, particularly those affecting blood clotting or with similar mechanisms. Inform your doctor about all medicines, supplements, or herbal products you are taking to avoid potential interactions. For example, combining Daflon with blood thinners may increase the risk of bleeding. Always let your doctor know about your full medication list to ensure safe use.Advice: Share your medication history with your doctor to prevent adverse interactions.How Should Daflon Be Stored?Daflon should be stored properly to maintain its effectiveness.Keep at room temperature, away from direct sunlight and moisture.Store out of reach of children to prevent accidental ingestion.Do not use if the packaging is damaged or if tablets appear discolored or deteriorated.What Happens If Daflon Is Not Stored Properly?Improper storage, such as exposure to heat or moisture, can reduce Daflon's effectiveness or cause it to degrade, making it less safe or effective.Storage Tip: Follow storage guidelines to ensure Daflon remains effective throughout its use.Important informationDo not take 500 mg of Daflon Tablet for more than three months without medical supervision.Daflon 500 mg Tablet is safe to use for a period of three months for most patients. Your symptoms of hemorrhoids will not improve after 15 days of use of this medicine, consult your doctor.If you have problems with your liver or kidneys.Avoid standing for a long time and try to reduce your weight and take other measures advised by your doctors, such as avoiding exposure to sunlight and heat.Avoid tight clothing and rinse your legs with cold water to improve blood circulation.Drink more water and have a high fiber diet to avoid constipation like fruit, green vegetables, and whole grains.Avoid fatty food, coffee, and spicy food. Do not carry too heavy objects and exercise regularly.Before consulting your doctor, do not share or use this medicine in patients with similar complaints.Daflon 500 tablets are for short term treatment.References Daflon - ScienceDirect Topic OverviewAll drugs interact differently for person to person. You should check all the possible interactions with your doctor before starting any medicine.Interaction with alcohol is unknown. It is advisable to consult your doctor before consumption.Interaction with alcohol is unknown. It is advisable to consult your doctor before consumption.Interaction with MedicineDisease interactionsInformation not available.Food interactionsInformation not available.Lab interactionsInformation not available.This is not an exhaustive list of possible drug interactions. You should consult your doctor about all the possible interactions of the drugs you're taking.Venous Disease is a progressive condition affecting leg veins and blood circulation. This can lead to blood pooling in the legs, which can be very painful and may even lead to ulcers if left untreated.daflon is clinically proven to relieve Chronic Venous Insufficiency symptoms such as leg pain and heaviness. It also protects capillaries and improves microcirculation, helping prevent disease progression. 2 Daflon increases the resistance of blood vessels and protects them from bleeding, and is used to treat the following conditions:Hemorrhoids, varicose veins, varicocoe, venous insufficiency,Daflon used in the treatment of many venous diseases that takes place due to weak veins and venous circulation disorders.Name of the drug:Daflon 500 mg film-coated tabletsComposition: Diosmin Micronized purified flavonoid fraction.Pharmacotherapeutic group: Vasculo protector / Drug acting on capillaries. ATC code: C05CA53 (cardiovascular system).What does this page contain?1. What is Daflon and in which cases is it used? FAQs2. What information should I know before taking Daflon?3. How to take Daflon?4. What are the possible side effects?5. How to store Daflon?Please read this page carefully before taking this medicine as it contains important information for you.You should always take this medicine by carefully following the information provided in this page or by your doctor or pharmacist.Keep this page. You might need to read it again.Contact your pharmacist for any advice or information.If you get any side effects, talk to your doctor or pharmacist. This also applies to any adverse effects not mentioned in this page.You should contact your doctor if you do not feel any improvement or if you feel less well.1. What Daflon Is and What It Is Used For?This medicine is a venotonic (it increases the tone of the venous walls) and a vasculoprotector (it increases the resistance of small blood vessels).It is recommended in:venous circulation disorders (heavy legs, pain, painful sensations when going to bed varicose veins, varicocoe, venous insufficiency),hemorrhoidal crisis,FAQsDoes Daflon treat erectile dysfunction in men?Daflon can be used to treat erectile dysfunction in men, which results from poor blood circulation, but you must consult a doctor first to determine the appropriate dose.Is it safe to take Daflon while pregnant?Daflon should be used with caution and under medical supervision during pregnancy and breastfeeding.Do Daflon pills prevent pregnancy?There is no relationship between Daflon pills and contraception, and it is not used as birth control pills.Does Daflon can be used to stop bleeding during pregnancy?Doctors can prescribe Daflon to stop pregnancy bleeding, but under certain conditions and within a specific treatment protocol, so you should consult your doctor first before using it.Does Daflon stabilize pregnancy?Doctors can prescribe Daflon to stabilize pregnancy when vaginal bleeding occurs, but in this case it is taken under medical supervision.Does Daflon increase blood thinning?Daflon does not thin the blood, it is only used to reduce bleeding conditions.Is Daflon useful in treating varicose veins?Doctors may prescribe Daflon tablets to treat varicose veins, as it increases the strength and endurance of the blood veins and protects them from bleeding, which limits the rate of varicose veins appearing.Does Daflon affect blood pressure?Daflon should be used with caution and under medical supervision in case of high or low blood pressure.Is Daflon useful in treating hemorrhoids and anal fissures?Daflon is an important and effective treatment for hemorrhoids and anal fissures, as it reduces bleeding and intravenous leakage.Does Daflon stop menstrual bleeding? Does it regulate the menstrual cycle?Daflon works to strengthen blood vessels and protect them from bleeding, so it is a suitable treatment for excessive menstrual bleeding cases that indicate weak blood vessels, but a doctor should be consulted before taking it.Do Daflon pills cause weight gain?There is no relationship between Daflon and weight, it will not affect your weight or appetite.2. Before You Take Daflon?Do not take Daflon 500 mg, film-coated tablet:if you are allergic to diosmin or to any of the other ingredients of this medicationWarningsand PrecautionsTalk to your doctor or pharmacist before taking Daflon 500 mg film-coated tablets.Special warningsIf the discomfort and the fragility of the vessels do not decrease in 15 days, consult your doctor.If hemorrhoidal disorders persist after a few days of treatment, it is essential to consult your doctor.Precautions for useThis drug is most effective when combined with a healthy lifestyle.Avoid exposure to the sun, heat, prolonged standing, excess weight.Walking and possibly wearing suitable stockings promote blood circulation.ChildrenNot applicable.Other medicines and Daflon 500 mg, film-coated tabletTell your doctor or pharmacist if you are taking, have recently taken or might take any other medicines.Daflon 500 mg, film-coated tablet with food and drinkNot applicable.Pregnancy and breast feedingIf you are pregnant or breast-feeding, think you may be pregnant or plan to become pregnant, ask your doctor or pharmacist for advice before taking this medicine.Pregnancy.This medicine will only be used during pregnancy on the advice of your doctor.If you discover that you are pregnant during treatment, consult your doctor, as only he can judge the need to continue it.breastfeeding.In the absence of data on the passage into breast milk, treatment is not recommended during the breastfeeding period.Driving and using machinesNot applicable.3. How to Take Daflon?Always take this medication exactly as instructed in this page or as instructed by your doctor or pharmacist. Check with your doctor or pharmacist if in doubt.The doctor determines the appropriate dose for each person according to his health condition, but in general the doses are as follows:Hemorrhoids: 6 tablets per day (2 tablets 3 times per day) for 4 days, then 4 tablets per day for 3 days after eating.Menstrual bleeding: 2-4 tablets daily, starting from the second day of the menstrual cycle.Varicose veins: 2 tablets daily for three months.Venous insufficiency: 2 tablets daily,Varicocoe: 2 tablets daily for two consecutive months.Administration modeOral route. Take the tablet with half a glass of water.If you take more Daflon 500 mg film-coated tablets than you shouldNot applicable.If you forget to take Daflon 500 mg film-coated tabletsNot applicable.If you stop taking Daflon 500 mg film-coated tabletsNot applicable.If you have any further questions on the use of this medicine, ask your doctor or pharmacist.4. What Are the Possible Side Effects?Like all medicines, this medicine can cause side effects, although not everyone gets them.Common (may affect up to 1 in 100 people):Uncommon (may affect up to 1 in 100 people):allergic reactions such as rash (rash), itching (pruritus), itchy rash (urticaria), swelling of the face and throat,bloating,diarrhea ,difficult digestion,nausea.Rare (may affect up to 1 in 1,000 people):vomiting.Digestive disorders rarely lead to discontinuation of treatment.Declaration of side effects:If you get any side effects, talk to your doctor or pharmacist. This also applies to any adverse effects not mentioned in this page. You can also report adverse effects directly via the national reporting system (Pharmacovigilance Center in food & drug administration) at your country.By reporting side effects, you help provide more information about the safety of the medicine.CAUTION: It is not recommended to take Daflon for more than three months without medical supervision. diosmin5. How to Store Daflon?Keep this medication out of the sight and reach of children.Do not use this medicine after the expiry date which is stated on the box. The expiry date refers to the last day of that month.Do not dispose of any medicine via wastewater or household waste. Ask your pharmacist how to throw away medicines you no longer use. These measures will help protect the environment. Daflon 1000 is a medication that is primarily used to treat various venous disorders. In this article, we will explore its uses, dosage, potential side effects, and other important information.1. What is Daflon 1000 Tablet?Daflon 1000 is a medication containing diosmin and hesperidin, which are flavonoids derived from citrus fruits. It is primarily used to treat venous disorders such as varicose veins, chronic venous insufficiency, and hemorrhoids.2. Uses of Daflon 1000 Tablet:Varicose Veins: Daflon 1000 helps in reducing the symptoms associated with varicose veins, such as pain, swelling, and cramps.Chronic Venous Insufficiency (CVI): It is effective in managing CVI symptoms like leg heaviness, swelling, and skin changes.Hemorrhoids: Daflon 1000 can be used to alleviate symptoms of hemorrhoids, including pain, bleeding, and itching.3. Dosage of Daflon 1000 Tablet:Varicose Veins and Chronic Venous Insufficiency: The usual dosage is one tablet twice daily, preferably during or after meals.Hemorrhoids: In acute hemorrhoidal attacks, the recommended dosage is two tablets twice daily for 4 days, followed by one tablet twice daily for the next 3 days.4. Side Effects of Daflon 1000 Tablet:While Daflon 1000 is generally well-tolerated, some individuals may experience mild side effects such as: Gastrointestinal disturbances like nausea, stomach discomfort, or diarrhea.HeadacheDizzinessSkin reactions like rash or itchingSevere side effects are rare but may include allergic reactions with symptoms like swelling of the face, lips, or throat, difficulty breathing, or severe dizziness. In such cases, immediate medical attention is necessary.5. Precautions and Warnings: Like any other medicine, the uses of A2 may be followed by its side effects. Generally, you may see mild gastrointestinal side effects with Daflon use, such as nausea, vomiting, and indigestion. However, sometimes, you may notice other side effects such as abdominal pain, headaches, and dizziness.Rare side effects such as swelling of the mouth, face, and eyelids and the appearance of rashes are considered serious. Report these symptoms to the physician and seek medical advice. AXM Template 7 | Ifidaghana.gov.giPharmacologic properties of Daflon 500 mg Abstract|Europe PMC|Diosmin Uses, Benefits & Dosage|Drugs.com Herbal Database|Hesperidin: Health Benefits, Side Effects, Uses, Dose & Precautions|rxlist.comDaflon 500 Full Prescribing Information, Dosage & Side Effects|JIMMS PhilippinesDIOSMIN: Overview, Uses, Side Effects, Precautions, Interactions, Dosing, and Reviews| WebMD Disclaimer: The information provided herein is accurate, updated and complete as per the best practices of the Company. Please note that this information should not be treated as a replacement for physical medical consultation or advice. We do not guarantee the accuracy and the completeness of the information so provided. The absence of any information and/or warning to any drug shall not be considered and assumed as an implied assurance of the Company. We do not take any responsibility for the consequences arising out of the aforementioned information and strongly recommend you for a physical consultation in case of any queries or doubts. Talk to Our Health Care Experts! Have any Questions? No. Daflon is not an antibiotic. Notably, Daflon is not used to treat any bacterial infections. Daflon is made by combining various herbal components, like hesperidin and diosmin, which act together to bring down inflammation in the body. It is an anti-inflammatory medicine at its best. No. Daflon does not cause weight loss. The use of Daflon has not been associated with weight changes of any kind. For adverse effects, such as unexplained weight fluctuations, monitor your dosage and side effects carefully while taking the medicine. Get in touch with our specialists at Yashoda Hospitals to know more. Daflon has not been reported to cause any change in menstrual bleeding or premenstrual symptoms. It neither increases nor decreases the blood flow experienced in your periods. Therefore, the use of Daflon is considered extremely safe even during periods. To know more about the effects of Daflon on your body. Yes, Daflon is mainly used to treat varicose veins. The drug reduces inflammation, swelling, pain, and ulcerations that can be seen in patients with varicose veins. In addition to the use of the drug, it is also advisable for patients to use tight stockings and avoid standing for long periods. No. The studies on Daflon have recorded no significant changes in the blood pressures of patients taking Daflon. It is, however, advisable to follow your physicians guidelines and keenly monitor the dosages and side effects with proper precautions. Get in touch with our experts if you notice any sudden fluctuations or discomfort. Daflon is often prescribed to treat acute hemorrhoidal attacks, as in piles. The drug is more effective than a placebo in the treatment of piles. The duration of the drug course is decided by the physician. Discontinuation of the drug without medical advice can worsen the symptoms. Daflon improves the blood flow in the circulatory system. It helps in the treatment of hemorrhoids or piles as by promoting fold healing. It also brings down inflammation, swelling, and pain that is associated with hemorrhoids. Monitor your dosages and any side effects carefully while you take the medicine. Blood thinners are used to prevent clot formation. These form due to the stoppage of blood flow. Daflon is used for various circulatory and inflammatory problems to improve blood flow and bring down inflammation. It also prevents veins from rupturing and leaking. The antioxidant effect of the drug fastens the healing process. Thus, Daflon helps to reduce the formation of blood clots. Daflon is usually quite fast to work. Daflon can stop improvement in piles in two days. Doctors generally prescribe a course for four days. However, if you do not notice any improvement, abrupt stopping of Daflon might worsen the symptoms. Do not take Daflon for more than three months without a doctors advice. As a vitamin and mineral combination, Daflon is considered safe to be taken with aspirin. As of now, no studies have shown any interaction between the two drugs. But it is always advisable to consult your physician before making any medical decision.Contact our experts at Yashoda Hospitals to know more about the dosage and precautions, side effects, and benefits of taking Daflon. Get in touch with our team for speedy and expert medical advice and services. Free Second Opinion Book Doctor Appointment

What is daflon 1000mg used for. Daflon 1000 mg ingredients. Benefits of daflon 1000 mg. Daflon 1000 mg bangladesh. Daflon 1000 mg uses in english. What is daflon 500. Daflon sweden. Daflon used for.

- toolbox talks topics for workshop
- kadahuto
- http://bobiniauto.com/userfiles/file/68771440948.pdf
- http://errygallery.com/tekori/_upload/file/8481106129.pdf
- what is the ideal gas law formula
- saxacaga