I'm not a bot



2008 honda civic ex manual coupe

```
Radio signals, especially on the FM Radio reception can be affected by band, are deflected by large objects... Your Vehicle's Safety Features Airbags to In addition, your vehicle has a supplemental Your vehicle has side restraint system (SRS) with front help protect the upper torso of the curtain airbags to help protect
the airbags to help protect the heads and driver or a front seat passenger, ... You will hear a click, position. Follow these precautions whenever you use the seat heaters: HEATERS... Screw the fuel fill cap back on Opening and Closing the Hood You may hear a hissing sound as until it clicks at least once. Protecting
 Adults and Teens If you sit too close to the steering Adjust the Seat-Backs wheel or dashboard, you can be seriously injured by an inflating front Sitting too close to a front airbag, or by striking the steering airbag can result in serious wheel or dashboard. Under certain conditions of canister while the engine is off. You will need this key number if you
 handle locked when you leave your ever have to get a key replaced. Check that the belt is not twisted, because a Improperly positioning the seat bottom, and are to be used only with a child seat designed for use with LATCH. Page 258 Tires (Si) If you check
air pressures when the Recommended Tire Pressures tires are hot [driven for several miles The following charts show the Tire Size Cold Tire Pressures (kilometers)], you will see readings 4 recommended cold tire pressures for P215/45R17 87V Front/Rear: to 6 psi (30 to 40 kPa, 0.3 to 0.4... SRS, Additional Information ...Stereo Sound System ....Seats,
Adjusting the ..... It is on the front. Check the fluid level with the If Honda MTF is not available, you Insert the dipstick all the way back transmission securely as... (LX, EX, EX-L) stability. maintain a speed of 50 to 60 mph When traffic conditions allow, let (80 to 97 km/h) for
at least 20 the vehicle coast for several minutes. Page 227 Maintenance Minder The 15 and 10 percent oil life indicator reminds you that the time is coming soon to take your vehicle in for the required maintenance. Emissions Control Systems Defects Warranty and Emissions Accessory Limited Warranty — all these warranties. They will not your
 vehicle from theft. Octane Requirement, Gasoline. beeper sounds when the driver's seat shoulder belts in all five seating belt is latched and there is no front positions. Additional Information About Your Seat Belt System Components the beeper stops, the indicator will If the indicator comes on or the Your seat belt system includes lap/ stop
flashing but remain on. effectiveness and you can be seriously injured in a crash. Therefore, it is not possible for one set of estimates to predict fuel economy precisely for all drivers in all environments. Page 317 Index Fuel .........Timing Control System .... Carbon exhaust gas into your vehicle's monoxide should not enter the interior and create a
hazardous Carbon monoxide gas is toxic. Vents, Heating, and A/C Fan Control Dial TEMPERATURE CONTROL DIAL Turn the dial clockwise to increase the fan speed and airflow. Additional Information About Your Airbags Work During a frontal crash, your seat belt restrains your lower body and torso,
and the front airbag helps protect your head and chest. manual and automatic transmissions. Move it to left, right, up, or operate the disc player. and against other occupants. Page 121 Audio System Lighting BASS modes to adjust the tone to
The SVC You can use the instrument panel compensation (SVC) – your liking. Children Never hold an infant or child on your vehicle is not in use. blades with windshield washer fluid on a clean cloth. Press and hold the DISP To Change or Select Tracks/Files (8-cm) discs in this system. Lane Change, Signaling .... Installing a Child Seat Installing a
Child Seat Using BUTTON LATCH Your vehicle is equipped with LATCH (lower anchors and tethers for children) at the outer rear seats. If the engine is cold, it If the outside air is humid, select moisture from the air. display. Interior Convenience Items Beverage Holders The EX, EX-L, and Si models have Console Compartment Be careful when you
are using the another accessory power socket in beverage holders. Never tow your vehicle the ground, do this: Improper towing preparation will with just a rope or chain. Page 13 Your Vehicle's Safety Features The most important things you need Always wear The rest of this section gives more What you should do: to know about your airbags are:
your seat belt properly, and sit detailed information about how you upright and as far back from the can maximize your safety. City MPG Highway MPG Fuel economy is not a fixed number. in serious neck injuries during a reposition the shoulder part of a crash. Turn the end bracket wheel with the extension. Not checking or maintaining seat belts
 can result in serious Honda provides a limited warranty injury or death if the seat belts on seat be
between the child's neck and arm? Page 279 If the Engine Overheats If you do not see steam or spray, If there was no coolant in the Start the engine, and set the leave the engine running and reserve tank, you may need to add temperature gauge. luggage and other cargo. Installing a Child Seat Installing a Child
Seat with a Lap/ Shoulder Belt When not using the LATCH system, all child seats must be secured to the vehicle with the lap part of a lap/ shoulder belt. your foot from the brake pedal. Brake System Indicator U.S. Canada However, if the brake pedal does not If the ABS indicator comes on with feel normal, you should take the brake system indicator,
have immediate action. If it A battery can explode if you do seems slushy or frozen, do not try jump starting until it thaws. During normal last reset it. Page 2 Introduction California to cause cancer and birth defects or other reproductive
harm. To Sampling frequency: -... Booster seats can be high-back or Is the lap part of the belt as low as low-back. Changes or modifications not expressly Interference can be caused by any of approved by the party responsible for these conditions:... Audio System (Models without navigation system) Disc Player Error Messages Error Message Cause
Solution The chart on the right explains the error messages you may see in the display while playing a disc. LOWER LEVEL A low power steering fluid level can All models except Si and Canadian DX-G indicate a leak in the system. If the charging system indicator when the engine is running. DOT 4 brake fluid as a temporary... Page 164 Audio System
(Models with navigation system) Using a Track List FOLDER ICON ARTIST NAME TRACK LIST ICON RETURN ICON You can also select a file directly To scroll through the display, touch In artist mode, the artist name is also from a track list on the audio display.
Mats If you use non-Honda floor mats, make sure they fit properly and that they can be used with the floor mat LOOP anchors. Please read the these two Honda accessories are covered 2008 Honda warranty information Performance Warran
and then shift. Protecting Infants and Small Children Protecting Infants Two types of seats may be used: a Rear-facing child seat can be placed or a convertible seat used in the rear- in any seating position in the back facing, reclining mode. Additional Information About Your
 Seat Belts Lap/Shoulder Belt restrain your body. Instrument Panel Indicators The instrument panel has many Seat Belt Reminder Parking Brake U.S. Canada indicators to give you important Indicators The instrument panel has many Seat Belt Reminder Parking Brake U.S. Canada indicators to give you important Indicators to give you important Indicators to give you important Indicators The instrument panel has many Seat Belt Reminder Parking Brake U.S. Canada indicators to give you important Indicators The instrument panel has many Seat Belt Reminder Parking Brake U.S. Canada indicators The instrument panel has many Seat Belt Reminder Parking Brake U.S. Canada indicators The instrument panel has many Seat Belt Reminder Parking Brake U.S. Canada indicators The instrument panel has many Seat Belt Reminder Parking Brake U.S. Canada indicators The instrument panel has many Seat Belt Reminder Parking Brake U.S. Canada indicators The instrument panel has many Seat Belt Reminder Parking Brake U.S. Canada indicators The instrument panel has many Seat Belt Reminder Parking Brake U.S. Canada indicators The instrument panel has many Seat Belt Reminder Parking Brake U.S. Canada indicators The instrument panel has many Seat Belt Reminder Parking Brake U.S. Canada indicators The instrument panel has many Seat Belt Reminder Parking Brake U.S. Canada indicators The instrument panel has many Seat Belt Reminder Parking Brake U.S. Canada indicators The instrument panel has many Seat Belt Reminder Parking Brake U.S. Canada indicators The instrument panel has many Seat Belt Reminder Parking Brake U.S. Canada indicators The instrument panel has many Seat Belt Reminder Parking Brake U.S. Canada indicators The instrument panel has many Seat Belt Reminder Parking Brake U.S. Canada indicators The instrument panel has many Seat Brake U.S. Canada indicators The instrument panel has many Seat Brake U.S. Canada indicators The Instrument panel has been
 Side Marker/ and turn it one-quarter turn Parking/Turn Signal Light Bulb clockwise to lock it in place. Page 25 Additional Information of Bubbled,
wrinkled, labelled, and excessively thick discs Recommended Discs The disc player/changer has a sophisticated and delicate mechanism. A problem in one your vehicle inspected by your The brake system indicator normally part of the system cannot read the file(s).
Protecting Infants and Small Children, Selecting a Child Seat In seating positions and vehicles not facing child seat in the front, move When buying a child seat in the front, move When buying a child seat in the front, move When buying a child seat in the front, move When buying a child seat in the front, move When buying a child seat in the front, move When buying a child seat in the front, move When buying a child seat in the front, move When buying a child seat in the front, move When buying a child seat in the front, move When buying a child seat in the front, move When buying a child seat in the front, move When buying a child seat in the front, move When buying a child seat in the front, move When buying a child seat in the front for the fro
Adjusts the - strength of sound from the subwoofer speaker. Selecting a Child Seat, Installing a Child Seat movement can be expected and The child seat should not reduce the child seat should not reduce the child seat should not reduce the child seat of the Child seat should not reduce the child 
RESERVE TANK RESERVE TANK RESERVE TANK Except Si Look at the coolant level in the Refer to Owner's Maintenance radiator reserve tank. Index Antifreeze .......Anti-lock Brakes (ABS) Accessories and Modifications . Make sure it while the engine is hot can is a high-quality coolant to spray out, recommended for aluminum engines. Leave the
protect the front bumper with tape. The CRUISE CONTROL CRUISE BUTTON without keeping your foot on the indicator on the indica
a full stop before you shift into reverse. To prevent warpage, keep discs out of When recording a CD-R or direct sunlight and extreme heat. facility. reserves the right, however, to V. You may use another power steering fluid as an emergency replacement, but have the power steering system flushed and refilled with Honda PSF as soon as possible.
Vehicle Storage If you need to park your vehicle for Block the rear wheels. Using lower Exhaust Gas Recirculation (EGR) come out the tailpipe. MARK damage components in the engine LOWER compartment. Below you will find the product specifications of the Honda Civic (2008). Page 208 Automatic Transmission Shift
Lock Release RELEASE Do this if pushing on the brake pedal BUTTON and pressing the release button does not shift the transmission out of Park: Set the parking brake. Cover the vehicle is to be stored for a from a porous
material such as should do to prepare it for storage. 65, 277 Customer Service Information .. View the manual online, print or download it to keep on your computer. Page 7 Your Vehicle at a Glance INSTRUMENT PANEL HEADLIGHTS/TURN SIGNALS WINDSHIELD WIPERS/WASHERS BRIGHTNESS BUTTONS PASSENGER AIRBAG OFF
INDICATOR DISPLAY CHANGE BUTTON VEHICLE STABILITY ASSIST (VSA) SYSTEM * OFF SWITCH 211) REAR WINDOW DEFOGGER REMOTE AUDIO * CONTROLS *... Tire Pressure Monitoring System (TPMS) U.S. models only Low Tire Pressure Driving on a significantly under-Your vehicle
is equipped with a tire inflated tire causes the tire to Indicator pressure monitoring system (TPMS) When the low tire failure. Features The heating and air conditioning Vents, Heating, and A/C ..... Page 4 oduction .
tab LEVER only unlocks the driver's door. For Example 1 example, if the "XXX" amount Max Load (850 lbs) Passenger Weight Cargo Weight C
Transmission When slowing down, you can get time on a hot day, be careful before With 6-speed manual transmission extra braking from the engine by moving the shift lever. If you insert a damaged disc as indicated below, it may become stuck inside and damage the audio unit. If you feel the screen to display the sound level, system will disable
itself. The system In MP3 or WMA mode TUNE knob to move to the continuously replays the current... Auto Reverse the moonroof switch forward to the You can open and close the If the moonroof switch forward to the You can open and close the If the moonroof switch forward to the You can open and close the If the moonroof switch forward to the You can open and close the If the moonroof switch forward to the You can open and close the If the moonroof switch forward to the You can open and close the If the moonroof switch forward to the You can open and close the If the moonroof switch forward to the You can open and close the If the moonroof switch forward to the You can open and close the If the moonroof switch forward to the You can open and close the If the moonroof switch forward to the You can open and close the If the moonroof switch forward to the You can open and close the If the moonroof switch forward to the You can open and close the If the moonroof switch forward to the You can open and close the If the moonroof switch forward to the You can open and close the If the moonroof switch forward to the You can open and close the If the moonroof switch forward to the You can open and close the If the moonroof switch forward to the You can open and close the If the Moonroof switch forward to the You can open and the You can open an
Page 195 Carrying Cargo Load Limits This figure includes the total weight Steps for Determining Correct Load The maximum load for your vehicle of all occupants, cargo, and Limit – is 850 lbs (385 kg) for U.S.A, 395 kg accessories, and the tongue load if Locate the statement "The for Canada. Protecting Adults and Teens Adjust the Head Restraints
 Reclining the seat-back too far Improperly positioning head can result in serious injury or restraints reduces their death in a crash. Use D of the shift lever. Page 252 Lights Pull the bulb straight out of its Replacing a High-mount Brake socket. Page 141 Audio System (Models with navigation system) TUNE - Press the TUNE bar to Preset - You can
store up to 12 change channel selections. button until the next 16 characters Use the SEEK/SKIP button while a are shown. HC, CO, and NOx. A replacement A defective three way catalytic unit must be an original Honda part converter contributes to air pollution, or its equivalent. Door Locks On A/T vehicles, push and hold the Auto Door Unlocking
To program the Drive Lock mode: brake pedal, and move the shift The auto door unlocking feature has Locks all doors when the vehicle's speed lever out of the Park (P) position. Service Station Procedures Remove the fuel fill cap slowly. Page 130 Audio System (Models without navigation system) In MP3 or WMA mode repeat, press the RPT button
twice. Page 197 Carrying Cargo Carrying Cargo in the Trunk Distribute cargo evenly on the Compartment Store or secure all items that could floor of the trunk, placing the be thrown around and hurt heaviest items on the bottom and someone during a crash. If the coolant level in the reserve Always use Honda Long-
life Anti- tank is at or below the MIN line, add freeze/Coolant Type 2. RELEASE LEVER MASTER KEY You can also use the master key to As a safety feature, your vehicle has several identifying numbers in various places. LEVER that is very hot can scald you or your When more than one socket
is being passengers. Engine oil change capacity (including filter): Except Si 3.9 US qt (4.4) Replace the engine oil fill cap. CD-RW may not play due to the recording conditions. Page 284 Fuses FUSE BLOWN BLOWN FUSE PULLER Turn the ignition switch to the Check each of the large fuses in Check the smaller fuses in the
LOCK (0) position. As you read this manual, you will It will give you years of driving pleasure. Temperature Control Dial Turning this dial clockwise increases the temperature of the airflow. vehicle in normal driving if you Breathing it can cause condition. Avoid rapid acceleration, and have the transmission checked by SHIFT LEVER your dealer as
soon as possible. Gauges If the system still detects a leak in Maintenance Minder your vehicle's evaporative emissions The information display in the system, the malfunction indicator instrument panel shows you the lamp (MIL) comes on. To adjust the seat forward or To change the seat-back angle, pull backward, pull up on the bar under up on the
lever on the outside of the the seat cushion's front edge. Protecting Adults and Teens Maintain a Proper Sitting Never place the shoulder portion of a lap/shoulder belt under your arm or Position This could cause After all occupants have adjusted behind your back. Page 152 Audio System (Models with navigation system) SCAN (TRACK/FILE SCAN) -
 start your vehicle: Except Si procedure, you should take several precautions. Page 167 Audio System (Models with navigation system) Searching for a Song by Album Name To Stop Playing, press the AM/FM button or unit, fold back the
screen by ALBUM LIST... Page 124 Audio System (Models without navigation system) SCAN - The scan function to tune to a desired in the channel mode. Page 260 Tires Tire Service Life The last four digits of the TIN (tire INDICATOR
LOCATION MARKS The service life of your tires is identification number) are found on dependent on many factors, the sidewall of the tire and indicate including, but not limited to, driving the date of manufacture (See Tire habits, road conditions, vehicle... Tires To safely operate your vehicle, your Inflation Guidelines tire might be low, check it tires
must be the proper type and Keeping the tires properly inflated immediately with a tire gauge. Page 98 Seats Armrest on EX, EX-L, Si, and Canadian LX Folding Rear Seat models, the rear seat armrest is in the center of the rear seat.
navigation system) SCAN (TRACK/FILE SCAN) - In MP3 or WMA mode To Stop Playing a Disc The scan function samples all tracks This Press the eject button () to F-SCAN (FOLDER SCAN) - (files in MP3 or WMA) on the disc in feature, when activated, samples the remove the disc. You will hear a beep and see F-RPT FOLDER SELECTION - select
rotated, make balancing. Driver and Passenger Safety This section gives you important Additional Information About Your All Children Should Sit in a information about how to protect Seat Belts ........ common problems that motorists Changing a Flat Tire ....experience with their vehicles. Page 97 Do not place any object between normal position, or
in the event of a an occupant and the seat-back. do not properly tighten the cap, HOOD RELEASE HANDLE The fuel fill cap is attached to the... Page 123 Audio System (Models without navigation system) Operating the XM radio, turn the channel mode and category
the voice control system. Low Oil Pressure Indicator, Charging System Indicator, Charging System Indicator, Charging System Indicator, Charging System off the engine, tune the radio to a desired frequency. It is highly recommended that you use Honda Motor Oil in your vehicle for optimum engine protection. The moonroof for up to 10 minutes after
 obstacle while it is closing moonroof closes all the way. Page 308 Warranty and Customer Relations Customer Service Information ..... Fuel Economy Actual Mileage and EPA Fuel Economy Estimates Comparison. Fluid Locations Except Si model ENGINE OII
FILL CAP BRAKE FLUID ENGINE OIL DIPSTICK (Orange loop) (Black cap) CLUTCH FLUID (Manual POWER STEERING FLUID AUTOMATIC (Blue cap) TRANSMISSION FLUID DIPSTICK (Yellow loop) ENGINE COOLANT RESERVOIR... Except Si or dump it on the ground. Page 190
 Fuel Economy Fuel Economy Factors Use the recommended viscosity Drive Efficiently The following factors can lower your Rapid motor oil, displaying the API Drive moderately — vehicle's fuel economy: Certification Seal (see page acceleration, abrupt cornering, Aggressive driving (hard and hard braking increase fuel acceleration and braking)
consumption. Page 307 Emissions Testing Select a nearby lightly traveled Then drive in city/suburban major highway where you can traffic for at least 10 minutes. Halogen Headlight Bulbs ..... HEATED MIRROR BUTTON PARKING BRAKE LEVER On All EX-L, Canadian LX, EX, and Si To apply the parking brake, pull the lever up fully. Page 181
Cruise Control Canceling Cruise Control Resuming the Set Speed When you push the CANCEL button, or tap the brake or clutch pedal, the CRUISE BUTTON system will remember the previously set cruising speed. Indicator This indicator Th
then scan for the next strong station Turn the system on by pushing the Turn the knob right to tune to a... Turn Signals and Headlights Turn Signals and Headlights Turn Signal a left turn and up to forward until you hear a click. The wipers operate every The wipers run at low speed. Page 46 Installing a Child Seat
Attach the tether strap hook to the TETHER STRAP tether anchor, then tighten the HOOK strap as instructed by the child seat maker. Read the appropriate pages (as shown below) All models except Si to use your vehicle's audio system. Page 229 Maintenance Minder You can change the information Maintenance Main Items and Sub Resetting the
Engine Oil Life display from the engine oil life Items Display to the odometer, the trip Your dealer will reset the display meter, or the outside temperature (if after completing the required MAINTENANCE MAIN ITEM equipped) every time you press and... Your dealer has Honda accessories not overload electrical circuits that allow you to
personalize your Follow all instructions in this (see page ) or interfere with vehicle, or improve its performance. Jump Starting, If the Engine Overheats disconnect the negative cable from The reading of the vehicle, then from the temperature gauge should stay in Steam and spray
the remote transmitter. Press the eject button, and pull out the disc. 3-inch (8-cm) CD Triangle Shape Audio unit may not play the Fingerprints, scratches, etc. gear, the wipers are not activated. Starting the Engine Apply the parking brake. Carbon Monoxide Hazard Your vehicle's exhaust
contains With the trunk open, airflow can pull carbon monoxide gas. NOTCH SHIFT LOCK Put a cloth on the notch of the RELEASE SLOT... Safety Labels These labels are in the locations DASHBOARD SUN VISOR shown. Cruise Control If equipped Using the Cruise Control If equippe
 button on the steering RES/ACCEL a set speed above 25 mph (40 km/h) wheel. Your Vehicle's Safety Features Seat Belts Help keep you from being thrown Your vehicle is equipped with seat against the inside of the vehicle of the vehicle is equipped with seat against the inside of the vehicle of the vehicle is equipped with seat against the inside of the vehicle is equipped with seat against the inside of the vehicle is equipped with seat against the inside of the vehicle is equipped with seat against the inside of the vehicle is equipped with seat against the inside of the vehicle is equipped with seat against the inside of the vehicle is equipped with seat against the inside of the vehicle is equipped with seat against the inside of the vehicle is equipped with seat against the inside of the vehicle is equipped with seat against the inside of the vehicle is equipped with seat against the inside of the vehicle is equipped with seat against the inside of the vehicle is equipped with seat against the inside of the vehicle is equipped with seat against the inside of the vehicle is equipped with seat against the inside of the vehicle is equipped with seat against the inside of the vehicle is equipped with seat against the inside of the vehicle is equipped with seat against the inside of the vehicle is equipped with seat against the inside of the vehicle is equipped with seat against the inside of the vehicle is equipped with seat against the inside of the vehicle is equipped with seat against the inside of the vehicle is equipped with seat against the inside of the vehicle is equipped with seat against the inside of the vehicle is equipped with seat against the vehicle is equipped with seat against the inside of the vehicle is equipped with seat against the vehicle is equ
looking through the top at the wire fuses in the interior fuse box by... the same solution, and rinse them thoroughly. Page 250 Lights Remove the bulb from the socket Replacing Rear Bulbs by pushing the bulb in and turning (In Fenders) it counterclockwise until it unlocks. Tire Labeling, Tire Pressure Monitoring System (TPMS) Required Federal
 Explanation - Tire Pressure Monitoring System As an added safety feature, your Maximum Tire Pressure monitoring system (TPMS) U.S. Page 302 Tire Pressure Monitoring System (TPMS) - Required Federal Explanation Driving on a
vehicle stability assist (VSA) when the ignition switch is turned to system helps to stabilize the vehicle turns VSA Activation indicator blinks. If equipped the base of the windshield. In very cold weather, check the condition of the electrolyte. Setting
the Clock On models without navigation system All models except Si Si model To set the time, press the CLOCK (AM, AM/FM) button until the displayed time begins to blink, then CLOCK BUTTON release the button. sure the air pressures are checked. It is also necessary for licensing and insuring your vehicle. Page 221 Towing a
counterclockwise to decrease it. Oxygenated ...... Page 162 Audio System (Models with navigation system) SKIP — Each time you press and TRACK REPEAT (FILE TRACK RANDOM (Random release (preset 6), the player To continuously replay REPEAT) — within a folder) — This feature skips forward to the beginning of the a file, press and release the
RPT plays the files within a folder in next file. If the starter positive () terminal on your to the negative () terminal on your to the negative () terminal on motor still operates slowly, check + ... Open the hood, and check the physical condition of the battery. In fact, vehicle seriously injured or killed in a accidents are the number one cause crash. too far forward, the airbag will does not
encourage carrying an... Gasoline: Automatic Transmission Fluid: Except Si Honda ATF-Z1 (Automatic Honda Heavy Duty Brake Fluid Unleaded gasoline, pump octane Transmission Fluid) (see page DOT 3 preferred, or a DOT 3 or number of 87 or higher. Circuits Protected 10 A Left Headlight Low 20 A Headlight High Main 15 A Small
(Main) Not Used - 20 A Headlight Low Main Not Used - Not Used - Not Used - (20 A) Moonroof * 20 A Door Lock 20 A... Page 264 Stop driving conditions. Page 151 Audio System (Models with navigation system) In MP3 or WMA mode In WMA mode In
RANDOM - select a different folder, press either when activated, replays all files on feature, when activated, replays all side of the TUNE bar to move to the the selected folder in the order they... Power Windows, Moonroof If your vehicle's battery is Moonroof MOONROOF SWITCH disconnected or goes dead, or the If equipped driver's window fuse is
removed, the Turn the ignition switch to the ON AUTO function will be disabled. Page 217 Tire Pressure Monitoring System (TPMS) Changing a Tire with TPMS indicator will go off, after This device complies with Part 15 of the pressure indicator or As required by the FCC: If you have a flat tire, the low tire pressure indicator will go off, after This device complies with Part 15 of the pressure indicator or As required by the FCC: If you have a flat tire, the low tire the TPMS indicator will go off, after This device complies with Part 15 of the pressure indicator will go off, after This device complies with Part 15 of the pressure indicator will go off, after This device complies with Part 15 of the pressure indicator will go off, after This device complies with Part 15 of the pressure indicator will go off, after This device complies with Part 15 of the pressure indicator will go off, after This device complies with Part 15 of the pressure indicator will go off, after This device complies with Part 15 of the pressure indicator will go off, after This device complies with Part 15 of the pressure indicator will go off, after This device complies with Part 15 of the pressure indicator will go off, after This device complies with Part 15 of the pressure indicator will go off, after This device complies with Part 15 of the pressure indicator will be disabled.
 will come on. Those Whenever tires are replaced, they The tire identification number (TIN) you should be aware of are described should be replaced with tires of the is a group of numbers and letters below. Protecting Infants and Small Children In any of these situations, we Protecting Small Children We also recommend that a small strongly
recommend that you install child use the child seat until the child seat directly behind the reaches the weight or height limit front passenger's seat, move the seat for the seat or height limit front passenger's seat, move the dipstick again, and If it is near or
below the lower mark, check the level. Page 204 Manual Transmission Engine Speed Limiter Reverse Lockout If you are still unable to shift to If you are in, the engine The manual transmission has and turn the ignition key to the speed will
enter into the tachometer's lockout so you cannot accidentally... Page 166 Audio System (Models with navigation system) Searching for a Song Title by Keyword To cancel the selected letter, select Searching for a Song Title by Keyword To cancel the selected letter, select Searching for a Song Title by Keyword To cancel the selected letter, select Searching for a Song Title by Keyword To cancel the selected letter, select Searching for a Song Title by Keyword To cancel the selected letter, select Searching for a Song Title by Keyword To cancel the selected letter, select Searching for a Song Title by Keyword To cancel the selected letter, select Searching for a Song Title by Keyword To cancel the selected letter, select Searching for a Song Title by Keyword To cancel the selected letter, select Searching for a Song Title by Keyword To cancel the selected letter, select Searching for a Song Title by Keyword To cancel the selected letter, select Searching for a Song Title by Keyword To cancel the selected letter, select Searching for a Song Title by Keyword To cancel the selected letter, select Searching for a Song Title by Keyword To cancel the selected letter, select Searching for a Song Title by Keyword To cancel the selected letter, select Searching for a Song Title by Keyword To cancel the selected letter, select Searching for a Song Title by Keyword To cancel the selected letter is selected letter.
lock release it. This coolant coolant to bring it up to the MAX line. To (II) position before operating the reset the AUTO function after moonroof switch on the ceiling Open... It Seat Belt System Components . Coolant ...... Audio System (Models with navigation system) PC Card Error Messages If you see an error message in the Error Message Solution
display while playing a PC card, find the solution in the chart to the right. Page 128 Audio System (Models without navigation system) To Play a Disc NOTE: The specifications of the compatible To load or play discs, the ignition If a file on an MP3 or WMA disc is WMA file are: switch must be in the ACCESSORY protected by digital rights Bit rate: -...
Protecting Children - General Guidelines If You Must Drive with Several If a Child Requires Close If a child requires close physical attention or frequent visual contact, Children Attention Your vehicle has a back seat where Many parents say they prefer to put we strongly recommend that another children can be properly restrained. The brakes on the
seat- back. It If the Engine Won't Start ..... Make sure you have securely locked the steering wheel in place by trying to move it up, down, in, Adjusting the impact is on the passenger's How the SRS Indicator side, the
passenger's side curtain Work Works airbag will inflate even if there are no The SRS indicator alerts you to a occupant who is out of Advice for Pregnant Women When driving, remember to sit position in the front seat can be upright and adjust the seat as far seriously
or fatally injured in a crash back as possible while allowing full by striking interior parts of the control of the vehicle. As part of Driving over a pothole or road this design, your vehicle has a debris at too high a speed can minimum of ground clearance and... American Petroleum Institute's latest requirements. point. This extra the heat, the shift levers of the control of the vehicle. As part of Driving over a pothole or road this design, your vehicle has a debris at too high a speed can minimum of ground clearance and...
may be Shift up Normal acceleration braking can help you maintain a safe... Page 3 A Few Words About Safety Your safety, and the safety of others, You will find this important safety information in a variety of forms, is very important.
that any items you may be Fasten your seat belt. Page 142 Audio System (Models with navigation system) Repeat steps 2 and 3 to store the XM Radio Display Messages "NO SIGNAL" – The signal is first six channels. Additional Information About Your Airbag Service front
seat can cause the indicator to front seat passenger and no objects Your airbag systems are virtually come on. Page 64 Instrument Panel Indicators Turn Signal and "Daytime Running Lights" Indicator to front seat passenger and no objects Your airbag systems are virtually come on. Page 64 Instrument Panel Indicators Turn Signal and "Daytime Running Lights" Indicator Indicator
 indicator ignition switch is turned to the ON exterior lights are on. Page 321 Index Technical Descriptions High Speed Driving ......Oxygenated Fuels ......Open Monitor Light ....Emissions Testing .....Maintenance ......Turn Signals .......Oxygenated Fuels .......
 Break-in Period, Fuel Recommendation Break-in Period Fuel Recommendation We recommend using quality Help assure your vehicle is designed to operate additives that help prevent fuel extra attention to how you drive on unleaded
right turn. on the seat, or with an adult riding maintenance free, and there are no there, something may be interfering... Towing a Trailer Your vehicle has been designed Load Limits primarily to carry passengers and their cargo. You must All models except Si: follow the oil and filter change Honda Motor Oil is the preferred intervals shown on the
 information 5W-20 lubricant for your vehicle. You can see a message "WELCOME" on the display when your vehicle was new. Belts Insert the latch plate into the buckle, then tug on the belt to make sure the belt is securely latched. Protecting Adults and Teens Introduction Adjust the Front Seats The following pages provide instructions on how to
 properly Your vehicle has a door-open protect the driver, adult passengers, indicator on the instrument panel to and teenage children who are large indicate when any door is not tightly enough and mature enough to drive closed. Anti-theft Steering Column Jump Starting ...... Keep this The system automatically area clear of leaves and other debris and the control of the control o
 Page 57 2008 Civic Sedan... In album mode, the album name is When you select "Song Search" from You can then select any of three also displayed on the right side of the track list display, the song search... Tires, Checking the Battery TEST INDICATOR WINDOW TEST INDICATOR WINDOW Using the wrong chains, or not
properly installing chains, can damage the brake lines and cause a crash in which you can be seriously injured or killed. Page 196 Carrying Cargo The resulting figure equals the available amount of cargo and luggage load capacity. Press preset channels using each preset for higher numbered channels button or preset icons on the screen. 13.2 US
gal (50) Refrigerant type HFC-134a (R-134a) * * Engine Change 1.40 US gal (5.3) Charge quantity 14.1 15.9 oz (400 450 g) - - * coolant 1.37 US gal (5.2) Lubricant oil type SP-10 *... Event Data Recorders This vehicle is equipped with one or more devices commonly referred to as event data recorders. Audio System (Models with navigation
remind you of the passenger's U.S. Models front airbag hazards, and that Sun Visor Dashboard (U.S. models) and on the front visors. currently too weak. Some features do not require any action on your part. You can also use it to tow a trailer if you
 carefully observe the load limits, use the proper equipment, and follow the guidelines in this section. Page 150 Audio System (Models with navigation system) Push the AUDIO button beside the You can also select an icon with the To Change or Select Tracks/Files screen to show the audio display and joystick. Page 288 Fuse Locations INTERIOR FUSE
 BOX Amps. having a total weight of 1,000 lbs... Page 273 Changing a Flat Tire Put on the spare tire. Vents, Heating, and A/C Using the Heater to maximum cool. Gauges To switch the information display SPEEDOMETER between the odometer, trip meter, TEMPERATURE GAUGE outside temperature (if equipped), and engine oil life and maintenances.
item code(s), press the SEL/RESET FUEL GAUGE button repeatedly. If the fuel fill engine oil life and maintenance cap was not already tightened, turn service items when the ignition the engine off, and check or... Door Locks Power Door Locks Pow
fails to start, press the accelerator pedal all the way In cold weather, turn off all down, and hold it there while The immobilizer system protects your electrical accessories to reduce starting to clear flooding. Your vehicle is equipped with head restraints in all seating positions to help protect you and your passengers from whiplash and other injuries.
 Signal weaker in mountains or large obstacles to these areas. If they do, they Carrying hard or sharp side curtain airbag inflates, a cup... height of a trailer will affect your than normal. Use vehicle and the valet key at a parking only Honda-approved key blanks. These include a strong steel framework that forms a safety cage around the passenger
compartment, front and rear crush zones, a collapsible steering column,... Remote Audio Controls The VOL button adjusts the volume beep. Page 93 Remote Transmitter Remove the old battery from the As required by the FCC: back of the inner cover, and note This device complies with Part 15 of the the polarity. Time and booklet that came with
                            .....vehicle, you should know what Fuel Recommendation ....gasoline to use and how to check the Service Station Procedures ..levels of important fluids. Fuse Locations UNDER-HOOD FUSE BOX Amps. Page 112 Vents, Heating, and A/C The outside air intakes for the Air flows from the center MAX A/C Button heating and cooling
system are at and corner vents in the dashboard. Page 148 Audio System (Models with navigation system) To Play a Disc Video CDs and DVD discs do not The specifications for compatible You operate the disc player with the work in this unit. If you bulbs. Wearing a Lap/Shoulder Belt . HC, CO, and NOx produced. Audio System (Models without
 navigation system) Si model only Your audio system shows a welcome message on the display when you turn the ignition switch to the ACCESSORY (I) or the ON (II) position. Page 61 Instrument Panel SECURITY SYSTEM INDICATOR (P. Page 272 Changing a Flat Tire WHEEL NUTS EXTENSION BRAKE HUB WHEEL NUTS WHEEL COVER WHEELING (II) or the ON (II) position.
NUT WRENCH Use the extension and the wheel Before mounting the spare tire, DX and U.S. LX models: nut wrench as shown to raise the Do not attempt to forcibly pry the wipe any dirt off the mounting vehicle until the flat tire is off the wheel cover off with a screwdriver or... all seating positions except the driver's have a lockable retractor To
 fasten the belt, insert the latch that must be activated to secure a... Page 95 Seats Driver's Seat Height Adjustment Head Restraints. WMA files are: same controls used for the radio. Driving Guidelines Because of the low-profile tires Si model Your
vehicle is designed to give you fitted to your vehicle, the alloy optimum handling and performance wheels are closer to the ground. Check that and adjustments every day before carrying are stored properly or your passengers have facing
uphill, Making Turns and Braking The added weight, length, and Make turns more slowly and wider use the foot brake or parking brake. Page 290 Emergency Towing Do not tie down the vehicle's aluminum
                                                                            ..... Page 157 Audio System (Models with navigation system) To Play a PC card Always use the recommended Never insert foreign objects into You operate the PC card player with memory card with the appropriate the PC card slot. Page 120 Audio System (Models without navigation system) AUTO
 SELECT - If you are You will see a "0" displayed after Adjusting the Sound traveling far from home and can no pressing a preset button if auto Press the SOUND (TUNE) knob longer receive your preset stations, select cannot find a strong station for repeatedly to display the bass (BAS).... To select more characters, touch the MORE ICON ARTIST
LIST More icon. -... Service Station Procedures Oil Check DIPSTICK SUPPORT ROD GRIP LATCH Except Si Put your fingers under the front Pull the support rod out of its clip Wait a few minutes after turning the edge of the hood near the center. The Clean Air Act ..... 57) GAUGES * 112) AUDIO SYSTEM DRIVER'S FRONT AIRBAG * MIRROR
try to tighten the wheel nuts fully. Turn on the headlights to test the new bulb. close the dashboard corner vents by windows: This helps prevent the windows from rotating the wheel next to each vent. Page 65 Instrument Panel Indicator (EPS) Indicator
If equipped If equipped Si and Canadian DX-G with manual This indicator normally comes on for This indicator normally comes on ignition switch to the ON (II) Page 66 Instrument Panel Indicators If you turn the steering wheel to the Low Tire Pressure Tire
Pressure Monitoring full left or right position repeatedly Indicator system (TPMS) Indicator normally comes on for This in
and warnings about how to properly position seats and seat-backs. Page 219 Towing a Trailer To achieve a proper tongue load, Gross Axle Weight Rating Checking Loads start by loading 60% of the load The best way to confirm that vehicle (GAWR): toward the front of the trailer and The maximum allowable weight of and trailer weights are within
limits 40% toward the rear, then re-adjust the vehicle, all occupants, all... Dust and Pollen .....Locking and Unlocking ....; or write to: ercar.gov Administration (NHTSA) in addition However, NHTSA cannot become Administration (NHTSA) in addition However, NHTSA cannot be added to the second of the second 
DC Co., Inc. Not wearing a seat belt properly increases the chance of serious Your seat belt properly increases the chance of serious Your seat belt properly increases the chance of serious Your seat belt properly increases the chance of serious Your seat belt properly increases the chance of serious Your seat belt properly increases the chance of serious Your seat belt properly increases the chance of serious Your seat belt properly increases the chance of serious Your seat belt properly increases the chance of serious Your seat belt properly increases the chance of serious Your seat belt properly increases the chance of serious Your seat belt properly increases the chance of serious Your seat belt properly increases the chance of serious Your seat belt properly increases the chance of serious Your seat belt properly increases the chance of serious Your seat belt properly increases the chance of serious Your seat belt properly increases the chance of serious Your seat belt properly increases the chance of serious Your seat belt properly increases the chance of serious Your seat belt properly increases the chance of serious Your seat belt properly increases the chance of serious Your seat belt properly increases the chance of serious Your seat belt properly increases the chance of serious Your seat belt properly increases the chance of serious Your seat belt properly increases the chance of serious Your seat belt properly increases the chance of serious Your seat belt properly increases the chance of serious Your seat belt properly increases the chance of serious Your seat belt properly increases the chance of serious Your seat belt your seat belt properly increases the chance of serious Your seat belt your seat belt
Replacing the Transmitter Battery Avoid dropping or throwing the If it takes several pushes on the transmitter. And If you decide that a child can safely while age may be one indicator of ride up front, be sure to: Front The National Highway Traffic Safety when a child can safely ride in front, Administration and Transport there are other important
factors you... Headlights, Instrument Panel Brightness Daytime Running Lights Instrument Panel Brightness when you reach the maximum or With the headlight switch off or minimum brightness. Power Windows Except DX and Canadian DX-G DRIVER'S WINDOW SWITCH To open or close the AUTO – driver's window, push or pull the Closing a
power window on someone's hands or fingers can window switch firmly down or up to the second detent, and release it. Because of shifting to a lower gear. If the In this case, the starter motor's gauge; the low fuel indicator may headlights do not dim, check the speed sounds normal, or even faster not be working. Audio System (Models with
 navigation system) Playing a PC Card TRACK LIST ICON PC CARD ICON JOYSTICK POWER/VOLUME KNOB PLAY MODE ICON OPEN BUTTON FAST FORWARD BUTTON BUTTON REPEAT BUTTON REWIND BUTTON SKIP... INDICATOR MONITORING
SYSTEM (TPMS) INDICATOR CRUISE MAIN INDICATO
brake when Parking Tips If the vehicle is facing uphill, turn you park your vehicle. Use the fresh-air ventilation when possible. Page 248 Lights Insert the new bulb into the hole, Low Beam Headlight and turn it one-quarter turn BULB clockwise to lock it in place. View and Download Honda Civic 2008 manual online. r Vehicle at a Glance (main
                                 comfort or across the neck. Improperly maintaining this mechanic. Interior Lights Ceiling Light After all doors are closed tightly, then fades out in about 30 seconds. 2008 Civic Sedan... Hazard Warning Button, Rear Window Defogger Hazard Warning Button, Rear Window Defogger Hazard Warning Button, Rear Window Defogger Make sure the rear window is clear and you
system. Page 116 Audio System Models with navigation system Si model U.S. EX, EX-L, and Si models 2008 Civic Sedan... The driver's (16) airbag is stored in the center of the steering wheel; the front passenger's airbag is stored in the dashboard. DOT Tire Quality Grading (U.S. Vehicles) The tires on your vehicle meet all Treadwear Traction U.S.
Federal Safety Requirements. Protecting Adults and Teens Additional Safety Precautions Do not place hard or sharp objects on or If a side airbag or a Two people should never use the between yourself and a front near a door. The Honda Civic (2008) is a compact car known for its ... Download the 2008 Honda Civic Coupe
Owner's Manual PDF free of charge. Test the lights to make sure the new bulb is working. It does not cycle with temperature changes. Page 286 Fuses All models except DX and Canadian DX-G If the driver's power window fuse is removed, the AUTO function of the driver's window will be disabled. Page 160 Audio System (Models with navigation
system) PLAY MODE ICON To select a play mode, push the Select the desired mode by touching After you select the play mode, the AUDIO button to show the audio the appropriate icon, or move the display changes to the selectable display, then touch the PLAY MODE joystick, then press the ENT. It should be Adding Engine Oil on page between the
upper and lower marks. Check if it is inserted correctly in the disc If you see an error message in the FOCUS Error... Filters Auto Door Unlocking ..... and there will be (150 lbs x 2 = 300 lbs) (550 lbs) five 150 lb. Firmly turn the FCC rules. Protecting Children — General Guidelines All Children Must Be Restrained Each year,
many children are injured or killed in vehicle crashes because Children who are unrestrained for infants, forward- and a good place to install the seat, effectiveness. This disc changer uses the same controls used for the in-dash disc player or the radio
Your Vehicle at a Glance Warranty and Customer A quick reference to the main... Get tire on another vehicle unless it is your regular tire repaired or replaced, the same make and model. So don't drink recommendations throughout this manual. section
should be performed by a not run the engine unless certified technician or qualified instructed to do so. Page 140 Audio System (Models with navigation system) Your audio system is capable of Operating the XM Radio MODE – To switch between receiving XM Satellite Radio To listen to XM radio, turn the channel mode and category mode, anywhere
in the United States, ignition switch to the ACCESSORY touch the MODE icon. Installing a Child Seat Installing a Child Seat with a Tether ANCHOR locked, grab the shoulder part of forward and from side-to-side to the belt near the buckle, and pull verify that
it is secure enough to A child seat with a tether can be up to remove any slack from the... Changing the Engine Oil and Filter DRAIN BOLT according to the maintenance WASHER messages shown on the information display. When replacing a bulb, handle regularly carry heavy items in the it by
its base, and protect the glass trunk or pull a trailer, readjustment from contact with your skin or hard may be required. This is actually Your front airbags are dual-stage Your front airbags are dual-stage Your front airbags are dual-stage. I. Anti-lock Brakes
(ABS) The anti-lock brake system (ABS) You will feel a pulsation in the brake ABS Indicator helps prevent the wheels from pedal when the ABS activates, and locking up, and helps you retain you may hear some noise. Overview of Contents Contents Before Driving Technical Information A convenient reference to the What gasoline to use, how to
break- ID numbers, dimensions, capacities, sections in this manual. Audio System (Models without navigation system) Playing a Disc All models except Si Si model EJECT BUTTON CD BUTTON 
BUTTON BUTTON BUTTON SCAN SCAN BUTTON... Check the files in the disc. This is If this indicator comes on, the anti- steering control by pumping the normal: it is the ABS rapidly... following formats. important to keep your vehicle well Maintenance Minder ....maintained and how to follow basic Fluid Locations ......maintenance safety
precautions. Maintenance Safety All service items not detailed in this Injury from moving parts. Protecting Your Discs General Information Protecting Discs When a disc is not being played, use only high quality discs labeled store it in its case to protect it from for audio use. Adjust the seat-back to an upright
 position, and sit well Make sure head restraints are back in the seat. The Low Oil Pressure maintenance main items and sub Indicator items will be displayed in the The engine can be severely damaged... new bulb is working. Page 228 Maintenance Minder The maintenance item code or codes indicate the main and sub items required at the time of
the oil change (see page You can switch the display to the odometer, the trip meter, and the outside temperature indicator (if equipped) by pushing the SEL/ RESET button on the dashboard repeatedly. Operation is subject to the polarity of the new battery is the following two conditions: (1) This device same (... Interference can be caused by any of
approved by the party responsible for these conditions:... vehicle to you P.O. Box 190816 San Juan, PR 00919-0816 U.S. Owners: American Honda Motor Co., Inc. Wash them with blade assembly locks in place. Page 313 2008 Civic Sedan... Page 138 Audio System (Models with navigation system) AUTO SELECT – If you are You will see a "O"
displayed after traveling far from home and can no pressing a preset button if auto longer receive your preset stations, select cannot find a strong station for you can use the auto select feature to every preset button. SERVICE MESSAGE MAINTENANCE ENGINE OIL LIFE ITEM CODE(S) INDICATOR If the remaining engine oil life is 15 When the
remaining engine oil life is 5 to 1 percent, you will see a to 6 percent, you will see the engine... Page 255 Wiper Blades Examine the new wiper blades. The vehicle identification number COVER (VIN) is the 17-digit number your dealer uses to register your vehicle VEHICLE IDENTIFICATION NUMBER for warranty purposes. Both are marked "SRS"
AIRBAG''... Page 26 Additional Information About Your Airbags Automatic front seat belt Weight on the front passenger's panel that alerts you that the seat. Page 153 Audio System (Models with navigation system) When playing a CD recorded with To Stop Playing a
Disc Removing a Disc text data, each track name is shown To play the radio when a disc is To remove a disc from the audio display. Add Fill it to halfway between the MAX counterclockwise. button to lock or unlock the doors, replace the battery as soon as Protect the transmitter from possible. Page 165 Audio System (Models with
navigation system) Song Search Function SONG SEARCH ICON ALBUM NAME TITLE BY KEYWORD ICON RETURN ICON ALBUM ICON ARTIST ICON Folder mode is shown. Page 129 Audio System (Models without navigation system) You cannot load and play 3-inch the display. TACHOMETER Odometer This shows the total distance your vehicle
has been driven. Page 297 Specifications Battery Tires * Capacity U.S. 12 V - 36 AH/5 HR P205/55R16 89H * * 12 V - 38 AH/5 HR P205/55R16 89H * * 12 V - 38 AH/5 HR P205/55R16 89H * * 12 V - 38 AH/5 HR P205/55R16 89H * * 12 V - 38 AH/5 HR P205/55R16 89H * * 12 V - 38 AH/5 HR P205/55R16 89H * * 12 V - 38 AH/5 HR P205/55R16 89H * * 12 V - 38 AH/5 HR P205/55R16 89H * * 12 V - 38 AH/5 HR P205/55R16 89H * * 12 V - 38 AH/5 HR P205/55R16 89H * * 12 V - 38 AH/5 HR P205/55R16 89H * * 12 V - 38 AH/5 HR P205/55R16 89H * * 12 V - 38 AH/5 HR P205/55R16 89H * * 12 V - 38 AH/5 HR P205/55R16 89H * * 12 V - 38 AH/5 HR P205/55R16 89H * * 12 V - 38 AH/5 HR P205/55R16 89H * * 12 V - 38 AH/5 HR P205/55R16 89H * * 12 V - 38 AH/5 HR P205/55R16 89H * * 12 V - 38 AH/5 HR P205/55R16 89H * * 12 V - 38 AH/5 HR P205/55R16 89H * * 12 V - 38 AH/5 HR P205/55R16 89H * * 12 V - 38 AH/5 HR P205/55R16 89H * * 12 V - 38 AH/5 HR P205/55R16 89H * * 12 V - 38 AH/5 HR P205/55R16 89H * * 12 V - 38 AH/5 HR P205/55R16 89H * * 12 V - 38 AH/5 HR P205/55R16 89H * * 12 V - 38 AH/5 HR P205/55R16 89H * * 12 V - 38 AH/5 HR P205/55R16 89H * * 12 V - 38 AH/5 HR P205/55R16 89H * * 12 V - 38 AH/5 HR P205/55R16 89H * * 12 V - 38 AH/5 HR P205/55R16 89H * * 12 V - 38 AH/5 HR P205/55R16 89H * * 12 V - 38 AH/5 HR P205/55R16 89H * * 12 V - 38 AH/5 HR P205/55R16 89H * * 12 V - 38 AH/5 HR P205/55R16 89H * 12 V - 38 AH/5 HR P205/55R16 89H * 12 V - 38 AH/5 HR P205/55R16 89H * 12 V - 38 AH/5 HR P205/55R16 89H * 12 V - 38 AH/5 HR P205/55R16 89H * 12 V - 38 AH/5 HR P205/55R16 89H * 12 V - 38 AH/5 HR P205/55R16 89H * 12 V - 38 AH/5 HR P205/55R16 89H * 12 V - 38 AH/5 HR P205/55R16 89H * 12 V - 38 AH/5 HR P205/55R16 89H * 12 V - 38 AH/5 HR P205/55R16 89H * 12 V - 38 AH/5 HR P205/55R16 89H * 12 V - 38 AH/5 HR P205/55R16 89H * 12 V - 38 AH/5 HR P205/55R16 89H * 12 V - 38 AH/5 HR P205/55R16 89H * 12 V - 38 AH/5 HR P205/55R16 89H * 12 V - 38 AH/5 HR P205/55R16 89H * 12 V - 38 AH/5 HR P205/55R16 89H * 12 V - 38 AH/5 HR P205/55R16 89H * 12 V - 38 AH/5 HR P205/55R16 89H * 12 V - 38 AH/5 HR
Specifications ....... all weather conditions. between you, your dealer, or 20590. For more Because your vehicle has limited tire driving if they are hitting any part of information, consult your dealer, or 20590. For more Because your vehicle has limited tire driving if they are hitting any part of information, consult your dealer. Put the SPACER WING BOLT wheel nuts back on finger-tight, CONE then tighten them in a crisscross pattern with the wheel nut wrench until the wheel
is firmly against the hub, their seats and head restraints, and put on their seat belts, it is very If a seat belt does not seem to work important that they continue to sit... Audio System An audio system is standard on all Models without navigation system models except the U.S. DX. Door Locks, Trunk On A/T vehicles, push and hold the Even though your
vehicle's battery is Trunk brake pedal, then move the shift removed or goes dead, the system lever out of the Park (P) position. Audio System (Models without navigation system) Playing the Radio All models except Si Si model SCAN BUTTON AUTO SELECT BUTTON AUTO SELECT BUTTON AUTO SELECT BUTTON BUTTON SCAN BUTTON SCAN BUTTON AUTO SELECT BUTTON AUTO SELECT BUTTON AUTO SELECT BUTTON AUTO SELECT BUTTON BUTTON BUTTON SCAN BUTTON AUTO SELECT BUTTON BUTTON BUTTON SCAN BUTTON AUTO SELECT BUTTON AUTO SELECT BUTTON BUT
PWR/VOL KNOB SEEK BUTTON PWR/VOL KNOB SEEK BUTTON PRESET BUTTONS TUNE/SOUND KNOB PRESET BUTTONS TUNE/SOUND KNOB CONTINUED... Page 126 Audio System (Models without navigation system) Depending on where you drive, you As required by the FCC: knob until "0" appears in the display. Push and pull the child
seat forward and from side-to-side to verify that it is secure. To avoid possible damage, the steering wheel is locked. And operating this including: vehicle safely is an important responsibility, prevent damaging your vehicle's audio system will disable itself. This shows the temperature of the miles or kilometers driven since you It may show slightly
more or less engine's coolant. Fuses Checking and Replacing Fuses INTERIOR UNDER-HOOD If something electrical in your vehicle stops working, the first thing you should check for is a blown fuse. Steering wheel in position. A beeper will sound if the vehicle is driven with the parking brake on. Make sure the FCC rules. Determine from the chart
on pages, or the diagram on the fuse box lid, which fuse or fuses control that device. Operation is subject to the following two conditions: (1) This device steering wheel to the left or right as you turn the key. Page 240 Engine Coolant If Honda antifreeze/coolant is not available, you may use another RADIATOR CAP major-brand non-silicate coolant as
a Removing the radiator cap temporary replacement. Changing a Flat Tire, If the Engine Won't Start Store the jack and tools in the tool If the Engine Won't Start Nothing Happens or the Start
models you leave the key in the LOCK (0) or To lock any passenger's door when the ACCESSORY (I) position and getting out of the vehicle, pull the LOCK TAB open the driver's door. yourself and your passengers to work Loose
items can fly forward and improperly. when the shift lever is moved into the Unlocks the driver's door or all doors Park (P) position Switch As required by the FCC: Ignition Switch If the front wheels are turned, the anti-theft lock may make it difficult This device
complies with Part 15 of the to turn the key. Controls Near the Steering Wheel INSTRUMENT PANEL BRIGHTNESS HEADLIGHTS/ WINDSHIELD TURN SIGNALS WIPERS/WASHERS DISPLAY CHANGE BUTTON SEL/RESET BUTTON PASSENGER AIRBAG OFF INDICATOR VEHICLE STABILITY ASSIST * (VSA) SYSTEM OFF SWITCH 211)
HAZARD WARNING BUTTON * REMOTE AUDIO CONTROLS 171) REAR WINDOW DEFOGGER *... BULB Insert the socket back into the light assembly. Page 96 Seats Removing the Head Restraint Front Rear Center Position To remove a head restraint for CUSHION cleaning or repair, pull it up as far as it will go. one-quarter turn
counterclockwise. If the weight is about 65 passenger's side airbag has been Sensors that can detect a lbs (29 kg) or less (the weight... On all models except U.S. DX Push the appropriate edge of the Be sure to adjust the mirrors before adjust the mirr
```

position Move the vehicle "LOADING" XM is loading the to an area away from tall buildings, Manual Transmission cause your clutch to wear out faster. play. find information and specifications included CITY STATE/PROVINCE ZIP CODE/ in this publication were in ef	ect at the time of
approval for printing. Make sure it is on all the way. There is a FILE ERROR If you cannot clear the error possibility that the files have been damaged. You can be containing up to 10% ethanol by burned or seriously injured volume and up to 15% MTBE by when handling fuel. Page 234 Fluid Locations Si model BRAKE FLUID E	NGINE OIL DIPSTICK
ENGINE OIL FILL CAP (Orange handle) (Black cap) CLUTCH FLUID (Light gray cap) WASHER FLUID (Blue cap) ENGINE COOLANT RESERVOIR RADIATOR CAP 2008 Civic Sedan Circuits Protected 50 A Headlight Main 40 A Power Window Main - Not Used 20 A Sub Fan Motor 20 A Main Fan Motor (M/T) 30 A Main Fan Motor (M/T) 30 A Main Fan Motor 10 A system in your vehicle provides a Using the A/C Windshield Wipers and Washers MIST - The wipers run at high While the vehicle is stopped and in speed until you release the lever. Page 206 Automatic Transmission Park (P) - This position	
reverse to neutral, come to a To shift from: Do this: cally locks the transmission. Your Vehicle's Safety Features Your vehicle is equipped with many features that work together to protect you and your passengers during a crash. Parking Brake Page 285 Fuses If you cannot drive the vehicle BLOWN without fixing the problem.	
a spare fuse, take a fuse Replacing a f use with one that has a of the same rating or a lower rating higher rating greatly increases the from one of the other circuits. Changing a Flat Tire If you have a flat tire while driving, JACK TOOL CASE stop in a safe place to change it. Apply the If the brake pads need replacing, you wheels	may be disc or drum,
brakes moderately to see if they feel will hear a distinctive, metallic depending on the model. Specifications Dimensions Engine Length 176.7 in (4,489 mm) Type Water cooled 4-stroke * * Width 69.0 in (1,752 mm) SOHC VTEC, DOHC i-VTEC Height 56.5 in (1,435 mm) 4-cylinder gasoline engine * Wheelbase 106.3 in (2,700 3.19 x 3.44 in (81.0 x 87.3 mm) * ENGINE NUMBER AUTOMATIC/MANUAL TRANSMISSION NUMBER ENGINE NUMBER ENGINE NUMBER ENGINE SightsWh	
Control Operation Page 49 Installing a Child Seat TETHER STRAP STRAP HOOK HOOK ANCHOR ANCHOR ANCHOR ANCHOR Strap hook to the restraint, then route the tether anchor, making sur	
the seat-back and Important Safety Precautions You'll find many safety Restrain All Children every additional drink. The system searches up or CH BUTTON MODE BUTTON with adequate provides the best combination of tread, and correctly inflated. Page 173 Protecting Your Discs States and the seat-back and the system searches up or CH BUTTON MODE BUTTON with adequate provides the best combination of tread, and correctly inflated. Page 173 Protecting Your Discs States are considered as a search se	
discs Discs with scratches, dirty discs Recommended discs are printed with the following logo. airbags. Mirrors, Parking Brake Heated Mirrors Parking Brake Heate	
the items marked Honda Service History or Canadian with will not void your emissions # Brakes Check the fluid level Maintenance Log. Page 222 Towing a Trailer Pre-Tow Checklist Your vehicle tires and spare are Backing Up When preparing to tow, and before properly inflated, and the trailer Always drive slowly and have dr	
check the tires and spare are inflated as someone guide you when backing up. Fuel Recommendation, Service Station Procedures Some gasoline today is blended with Refueling oxygenates such as ethanol or MTBE. Page 99 Seats GUIDE RELEASE Pull CENTER SHOULDER BELT On EX, EX-L, Si, and Canadian LX When storing the commendation of	
To release the seat-back, pull the the rear center shoulder belt out of release under the trunk panel. Front Side Marker Lights Charging System Indicator Should never come on warning lights. Move the PRESET BUTTON'S FUNCTION play mode immediately and begins to and up or down play the files in order to the new list. Additional Information About Your Airbags Airbag System Components (12) (11) (1) Driver's Front Airbag (3) Control Unit (4) Front Seat Belt Tensioners (5) Side Airbags (6) Driver's Seat Position Sensor (10) (7) Front Passenger's Weight Sensor	
Sensors (9) Passenger Airbag Off Indicator the same controls used for the radio adapter (if an adapter is needed). View the manual for the Honda Civic Coupe (2008) here, for free. You will hear a click. Page 216 Tire Pressure Monitoring System (TPMS) For example, if you check and fill information label and in the owner's W	
vehicle with your tires in a warm area, then drive manual (see page the compact spare tire, the TPMS in extremely cold weather, the tire indicator may also come on and stay pressure will be lower than Your Vehicle at a Glance 9 Important Safety Precautions 12 Your Vehicle's Safety Features 13 Protecting Adults and Teens 12 Your Vehicle at a Glance 9 Important Safety Precautions 12 Your Vehicle's Safety Features 13 Protecting Adults and Teens 13 Your Vehicle at a Glance 9 Important Safety Precautions 12 Your Vehicle at a Glance 9 Important Safety Precautions 12 Your Vehicle at a Glance 9 Important Safety Precautions 12 Your Vehicle at a Glance 9 Important Safety Precautions 12 Your Vehicle at a Glance 9 Important Safety Precautions 12 Your Vehicle at a Glance 9 Important Safety Precautions 12 Your Vehicle at a Glance 9 Important Safety Precautions 12 Your Vehicle at a Glance 9 Important Safety Precautions 12 Your Vehicle at a Glance 9 Important Safety Precautions 12 Your Vehicle at a Glance 9 Important Safety Precautions 12 Your Vehicle at a Glance 9 Important Safety Precautions 12 Your Vehicle at a Glance 9 Important Safety Precautions 12 Your Vehicle at a Glance 9 Important Safety Precautions 12 Your Vehicle at a Glance 9 Important Safety Precautions 12 Your Vehicle at a Glance 9 Important Safety Precautions 12 Your Vehicle at a Glance 9 Important Safety Precautions 12 Your Vehicle Advanced Advance	
Doors 17 Adjust the Front Seats 17 Adjust the Head Restraints 19 Fasten and Position the Seat Belt Tensioners 25 Additional Information about Your Seat Belts 24 Seat Belt System Components 24 Automatic Seat Belt Tensioners 25 Additional Safety Precautions 27 Airbag System Components 27 How Your Front Airbags Work 29 How Your Side Airbag off Indicator Works 35 Additional Safety Precautions 37 Protecting Children General Guidelines 38 All	
Restrained 38 All Children Should Sit in a Back Seat 39 The Passenger's Front Airbag Can Pose Serious Risks 39 If You Must Drive with Several Children 41 If a Child Requires Close Attention 41 Additional Safety Precautions 41 Protecting Infants and Small Children 43 Protecting Small Children 44 Selecting a Child Seat 45 In	
With a Lap/Shoulder Belt 49 Protecting Larger Children 52 Checking Seat Belt Fit 52 When Can a Larger Child Sit in Front 54 Additional Safety Precautions 55 Carbon Monoxide Hazard 56 Instrument Panel Indicators 63 Outside Temperature Indicator 73 Check Fuel Cap Message 74 Controls Near the Steering Wheel 76 Wind	
Washers 77 Turn Signals and Headlights 78 Instrument Panel Brightness 79 Steering Wheel Adjustments 81 Emergency Trunk Opener 97 Mirrors, Parking Brake 111 Interior Convenience Items 112 Accessory Power Sockets 114 Vents, Heating, and A/C 120 Audio System (Models Without Navigation System) 126 Playing the All Playing the XM Satellite Radio (Optional) 131 Disc Player Error Messages 142 Optional Disc Changer Error Messages 143 Audio System (Models with Navigation System) 144 Playing the XM Satellite Radio 148 Disc Player Error Messages 164 PC Card Error Messages 177 AM/FM Radio Reception	
Discs 180 Remote Audio Controls 183 Radio Theft Protection 185 Service Station Procedures 193 Opening and Closing the Hood 194 Accessories and Modifications 201 Automatic Transmission 214 Anti-Lock Brakes (ABS) 220 Vehicle Stability Assist (VSA) System 222 Tire Pressure Monitoring System (TPMS) 224 Recommende	l Engine Oil 240
Changing the Engine Oil and Filter 242 Automatic Transmission Fluid 248 Manual Transmission Fluid 249 Brake and Clutch Fluid 250 Cleaning the Engine Overheats 285 Jump Starting, if the Engine Overheats 285 Low Oil Pressure Indicator 287 Changing the Engine Overheats 285 Jump Starting, if the Engine Overheats 285 Jump Startin	
287 Malfunction Indicator Lamp 288 Brake System Indicator 289 Technical Information 299 Identification Numbers 300 DOT Tire Quality Grading 305 Tire Pressure Monitoring System 309 Crankcase Emissions Control System 311 Evaporative Emissions Control System 311 On Recovery 311 Exhaust Emissions Controls 312 Ignition Timing Control System 312 Exhaust Gas Recirculation 318 Service Information Summary 334 Page 1 Introduction Congratulations! Your selection of a 2008 Honda Control System 310 Control System 310 Control System 310 Control System 311 Exhaust Emissions Control System 312 Exhaust Gas Recirculation 318 Service Information Summary 334 Page 1 Introduction Congratulations! Your selection of a 2008 Honda Control System 310 Control System 311 Control System 311 Control System 312 Control System 312 Control System 312 Control System 313 Control System 313 Control System 313 Control System 314 Control System 314 Control System 315 Control System 315 Control System 315 Control System 315 Control System 316 Control System 316 Control System 317 Control System 317 Control System 317 Control System 318 C	
investment. Emissions Testing Testing of Readiness Codes If the testing facility determines that Without touching the accelerator If you take your vehicle for an the readiness codes are not set, you pedal, start the engine, and let it emissions test shortly after the will be requested to return at a later idle for 20 seconds. Additional testing facility determines that Without touching the accelerator If you take your vehicle for an the readiness codes are not set, you pedal, start the engine, and let it emissions test shortly after the will be requested to return at a later idle for 20 seconds. Additional testing facility determines that Without touching the accelerator If you take your vehicle for an the readiness codes are not set, you pedal, start the engine, and let it emissions test shortly after the will be requested to return at a later idle for 20 seconds.	l Information About
Your Airbags If you see any of these indications, U.S. Canada How the Side How the Passenger Airbag Off the airbags and seat belt tensioners Airbag Off Indicator Works may not work properly when you Indicator Works need them. Wiper Blades Check the condition of the wiper blades at least every 6 months. Page 191 Fuel E use of the air Checking Your Fuel Economy The A/C conditioning system — puts an extra load on the engine which makes it use more fuel. Install each restraint in its proper location. They warn you of potential U.S. models U.S. models only hazards that could cause serious injury or death. If a label comes off or becomes hard to	
U.S. Page 56 Safety Labels HOOD DOORJAMBS U.S. models Canadian	
Page 87 Door Locks The driver's door unlocks Push and hold the rear of the To turn off the Auto Door Unlock whenever you turn the ignition master door. gives you information about how to Jump Starting Taking Care of the Unexpected This section cov	ers the more Compact
Spare Tire Odometer Protecting Children – General Guidelines All Children Should Sit in a Back The Passenger's Front Airbag Small Children Sections Risks Placing a forward-facing child seat in According to accident statistics, Front airbags have been designed to the front seat of a vehicle equipped chairs are help protect adults in a moderate to with a passenger's front airbag can You can use any of five methods to ACCESSORY (I) or ON (II) position. Page 149 Audio System (Models with navigation system) To Load a Disc DISC SLOT OPEN BUTTON CLOSE BUTTON The disc player is behind the Insert a disc about halfway.	
screen to the upright navigation screen. Fluid. Touch the PLAY MODE icon, then choose one of the PLAY MODE icon, the play icon, the	
default setting when the vehicle You can select the background You can use the instrument panel leaves the factory. Page 212 Anti-lock Brakes (ABS) If the ABS indicator and the brake Important Safety Reminders A vehicle with ABS may require a system indicator come on together, on loose or ABS does not reduce the time or	
and the parking brake is fully distance it takes to stop the uneven surfaces, such as gravel or released, the EBD system may also Compact Spare Tire Use the compact spare tire as a Do not use your compact spare Tire Use the compact spare tire as a Do not use your compact spare Tire Use the compact spare tire as a Do not use your compact spare Tire Use the compact spare tire as a Do not use your compact spare Tire Use the compact spare tire as a Do not use your compact spare tire as a Do not use your compact spare Tire Use the compact spare tire as a Do not use your compact spare tire as a Do not use your compact spare Tire Use the compact spare tire as a Do not use your compact spare Tire Use the Compact spare Tire Use	
31SNAM20 2008 Honda Civic Honda Service History 31SNAQ20 2008 Honda Civic 4 Door Quick Start Guide HON-R Order Form for Previous Years- Indicate Year and Model Desired 2008 Civic Sedan Gauges Trip Meter Fuel Gauge Temperature Gauge This meter shows the number of This shows how much fuel you have. Pus	
pedal, and pause for a few seconds before shifting into reverse, or shift into one of the forward gears for a moment. Important Safety PrecautionsGauge Audio System (Models without navigation system) Loading a PC Card WMA files are: The drive will read the PC card and Sampling frequency: PC CARD SLOT begins and the property of the property o	n to play it. Page 134
Audio System (Models without navigation system) Optional Disc Changer Error Error Message Cause Solution Messages The chart on the right explains the error messages you may see in the Press the magazine eject button, and pull the display while playing a disc. Adding Engine OilChanging the Engine Oil This section al You can damage the transmission by trying to shift into reverse with the vehicle moving. Cruise Control As required by the FCC: Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment. HOLDING CLIP Push the electrical connections are not of the compliance could void the user's authority to operate the equipment.	
bulb. Page 193 Accessories and Modifications Modifying Your Vehicle Non-Honda wheels, because they Removing parts from your vehicle, are a universal design, can cause or replacing components with excessive stress on suspension non-Honda components and will not be seriously affect your vehicle's components.	atible with the tire
pressure * Dehumidify the Interior The heater uses engine coolant to Select Air conditioning, as it cools, removes warm the air. 65, 277 NOTICE, Explanation of Keys	
compara- The traction grades, from highest to All tires are also graded for tive rating based on the wear rate of lowest, are AA, A, B, and C. and can impair your engine's per-formance. Page 159 Audio System (Models with navigation system) There are three play modes: Folder, To Select a Play Mode Artist, and Album. Page 29 Numbers The engine number is stamped into the engine block. Malfunction Indicator comes on If the indicator comes on repeatedly, If your vehicle's battery has been while driving, it means one even though it may turn off as you disconnected or gone dead, these of the engine's emissions control continue	
vehicle codes are erased. vehicle, or failing to correct a problem before driving can Important Safety Precautions cause a crash in which you can Changes or modifications not expressly Your I.D. will appear in the display. Page 143 Audio System (Models with navigation system) The XM satellites are in orbit over the equator;	herefore, objects south
Signal weaker in Signal may be blocked by of the vehicle may cause satellite these areas. Door Locking/Unlocking Auto Door Locking/Unlocking Auto Door Locking/Unlocking Auto Door Locking To turn off the Auto Do	
unlock. Page 263 Tires Wheel and Tire Specifications See page for information about Wheels: DOT Tire Quality Grading, and page (DX, Canadian DX-G) for tire size and labeling Installing improper tires on your vehicle can affect handling and 15 x 6 J information. You also Refuelingneed to know how to properly store Open luggage or packages. Change the hours by pressing the H (preset 1) button until the numbers advance to the desired time. Except Si Unscrew and remove the engine oil Page 296 Specifications Capacities Air Conditioning Fuel tank Approx. * High temperature HEAT ERROR Will disappear when the temperature returns to not also remove the engine oil	
grip, and insert the engine off before you check the oil. Mirrors Adjusting the Power Mirrors Adjusted for best visibility. Security System If equipped With the system set, you can still The security system helps to protect open the trunk v	ith the master key
Except Si your vehicle and valuables from theft. Protecting Adults and Teens Fasten and Position the Seat over the strongest bones in your upper body. Wiper Blades, Wheels Slide the wiper arm. Page 114 Vents, Heating, and A/C To Defog and Defrost When you switch to, from To clear the can To remove fog from the inside of the, the A/C stays on. If you are not wearing a (See pages for how to Be sure electronic accessories do Accessories or killed. Tire Labeling The tires that came on your vehicle Tire Size Tire Identification Number (TIN) have a number of markings. Manual TransmissionIt also includes im	
Transmission Interior Lights, Interior Convenience Items Interior Convenience Items CONSOLE COMPARTMENT CENTER POCKET On all LX models, and EX and EX-L models without moonroof Push on the spotlight lenses to turn the light on and off.	
and wipe it with a clean cloth. Page 137 Audio System (Models with navigation system) SEEK - The seek function If you do nothing, the system will Each preset button's frequency is searches up and down from the then scan for the next strong station shown on the bottom of the audio current frequency to find a station and pla	y it for 10 seconds.
LOW FUEL INDICATOR VSA ACTIVATION INDICATOR LIGHTS ON HIGH BEAM SUPPLEMENTAL TIRE PRESSURE MONITORING SIDE AIRBAG OFF INDICATOR INDICATOR INDICATOR INDICATOR ANTI-LOCK BRAKE SYSTEM (ABS) INDICATOR DAYTIME RUNNING S REMINDER dust and other contamination. 60, 208 Battery ACCESSORY (Ignition Key OperationCharqing System Position)Anti-theft, Audio System Position * * INSTRUMENT PANEL INDICATORS MOONROOF SWITCH 100) AUDIO SYSTEM 112) GAIN ACCESSORY (Ignition Key Operation	
HEATING/COOLING CONTROLS 108) * MIRROR CONTROLS 102) POWER DOOR LOCK DOOR LOCK TAB * MASTER SWITCH Start the engine. Seat Heaters In	
heater turns off Passenger's Seat when the seat gets warm, and turns back on after the seat's temperature drops. contribute to the daily operation of Instrument Panel IndicatorsChildproof Door Locksyour vehicle. MARK Always use Honda ATF-Z1 (automatic transmission fluid). N. Gallons Miles per driven of fuel Gal	
Transmitter On U.S. LX, EX, EX-L, and Si models If you unlock the doors with the EX, EX-L, Si, and Canadian LX models If you push the LOCK button twice remote transmitter, but do not open PANIC BUTTON Remote Audio Control If you are playing a PC card, press Auxiliary Input Jack the top () of the CH button to + On all models except DX advance to the next file. Page 100 Seats Make sure that the folded seat-back Make sure that the folded seat-back Make sure all items in the trunk, or does not press against the front items extending through the opening passenger's seat, as this could only a control Input Jack the top () of the CH button to + On all models except DX advance to the next file.	
are secured. If it is necessary to remove or modify a front seat to accommodate a person with disabilities, first contact Honda Automobile Customer Service at (800) 999-1009. Automatic Transmission Shift Lever Position Indicators If the malfunction indicator lamp Shifting comes on along with the "D" indicator, there is a problem.	em with the automatic
transmission control system. BEVERAGE HOLDERS * Audio System (Models without navigation system) Playing the XM Satellite Radio Optional on U.S. EX, EX-L, and Si POWER/VOLUME KNOB DISPLAY BUTTON models Your audio system is capable of receiving XM Satellite Radio SCAN BUTTON AUX BUTTON anywhere is capable.	
except Hawaii and Alaska. Indicators, Instrument PanelOctane Requirement Push models The left and right seat-back down, then let go of Steering Wheel Adjustment Make any steering wheel adjustment Push the left before you start driving. Off Switch Operation System Indicator shows you how to use seat belts. Page 68 Instrument Panel Indicators Maintenance Minder Security System Indicator shows you how to use seat belts. Page 68 Instrument Panel Indicators Maintenance Minder Security System Indicator shows you how to use seat belts. Page 68 Instrument Panel Indicators Maintenance Minder Security System Indicator shows you how to use seat belts. Page 68 Instrument Panel Indicators Maintenance Minder Security System Indicator shows you how to use seat belts. Page 68 Instrument Panel Indicators Maintenance Minder Security System Indicator shows you how to use seat belts. Page 68 Instrument Panel Indicators Maintenance Minder Security System Indicator shows you how to use seat belts. Page 68 Instrument Panel Indicator shows you how to use seat belts. Page 68 Instrument Panel Indicator shows you how to use seat belts. Page 68 Instrument Panel Indicator shows you how to use seat belts. Page 68 Instrument Panel Indicator shows you how to use seat belts.	
Indicator Indicator Lamp Except Si This indicator reminds you that it is See page time to take your vehicle in for scheduled maintenance. Your Vehicle at a Glance * MOONROOF SWITCH 100) PASSENGER'S FRONT AIRBAG INSTRUMENT PANEL INDICATORS (P. Fill Door and Cap fastened down securely. Page 29 If the	seat is under the seat.
floor behind it. Protecting Larger Children Additional Safety Precautions Do not put any accessories on a Devices intended to Do not let a child wear a seat belt. Remove the key from the ignition switch. Press P to R Press the brake pedal, and Park whenever you are turning off or the release button before shifting press	
button. This will help to condition the blade edges. Keys and Locks, Immobilizer System These keys contain electronic Immobilizer system protects key's coding if another immobilizer immobilizer system. Page 85 Door Locks Push and hold the front of the To program the Park Lock mode: master door lock switch on the master door lock switch on the Locks all doors when the shift lever is driver's door until you hear a click driver's door. Indicator This means they have two threshold airbags. Page 67 Instrument Panel Indicators Rev Limit Indicator	
Indicator Low Fuel Indicator REV LIMIT INDICATOR If equipped LOW FUEL INDICATOR This indicator comes on when you turn on the cruise control Indicator If equipped This indicator comes on when you Si model only Lights Headlight Aiming Replacing a Headlight Aiming Replacing a Headlight Aiming Replacing and the cruise control system by pressing the CRUISE button (see page Cruise Control Indicator If equipped This indicator comes on when you Si model only Lights Headlight Aiming Replacing a Headlight Aiming Replacing and the cruise control system by pressing the CRUISE button (see page Cruise Control Indicator If equipped This indicator comes on when you Si model only Lights Headlight Aiming Replacing a Headlight Aiming Replacing and the cruise control system by pressing the CRUISE button (see page Cruise Control Indicator If equipped This indicator comes on when you Si model only Lights Headlight Aiming Replacing a Headlight Aiming Replacing and the cruise control system by pressing the CRUISE button (see page Cruise Control Indicator If equipped This indicator comes on when you Si model only Lights Headlight Aiming Replacing a Headlight Aiming Replacing and the cruise control system by pressing the CRUISE button (see page Cruise Control Indicator Indicat	adlight Bulb High
Beam Headlight The headlights were properly aimed Your vehicle has halogen headlight when your vehicle was new. In addition, the lap/shoulder belts in all seating positions except the driver's have a lockable retractor that must be activated to secure a Page 271 Changing a Flat Tire JACKING POINTS WHEEL NUT WRENC nut 1/2 turn Place the jack under the jacking Canadian DX-G model Remove the center cap from the with the wheel nut wrench. Page 180 Cruise Control turned You can increase the set cruising speed in any of these ways: on, you can still use the page 180 Cruise Control turned You can increase the set cruising speed in any of these ways: on, you can still use the page 180 Cruise Control turned You can increase the set cruising speed in any of these ways: on, you can still use the page 180 Cruise Control turned You can increase the set cruising speed in any of these ways: on, you can still use the page 180 Cruise Control turned You can increase the set cruising speed in any of these ways: on, you can still use the page 180 Cruise Control turned You can increase the set cruising speed in any of these ways: on, you can still use the page 180 Cruise Control turned You can increase the set cruising speed in any of these ways: on, you can still use the page 180 Cruise Control turned You can increase the set cruising speed in any of these ways: on, you can still use the page 180 Cruise Control turned You can increase the set cruising speed in any of these ways: on, you can still use the page 180 Cruise Control turned You can increase the set cruising speed in any of these ways: on, you can still use the page 180 Cruise Control turned You can increase the set cruising speed in any of the page 180 Cruise Control turned You can increase the set cruising speed You can increase the set cruising speed You can increase the your can be a control turned You can increase the your can be a control turned You can increase the your can be a control turned You can increase the your can be a control turned You can be a contr	
speed in any of these ways: pedal to speed up for passing. To use the disc disc slot. Windshield Washers Check the fluid level in the When you refill the reservoir, clean LEVEL GAUGE windshield washer reservoir.	
Protecting Larger Children When Can a Larger Child Sit in Of course, children vary widely. Page 214 Vehicle Stability Assist (VSA) System VSA off Switch In certain unusual conditions when VSA and Tire Sizes your vehicle gets stuck in shallow Driving with varying tire or wheel mud or fresh snow, it may be easier sizes may ca	use the VSA to to free it
with the VSA temporarily malfunction. Page 28 Additional Information About Your Airbags After a crash, you may see what Dual-Stage Airbags Dual-Threshold Airbags Dual-Threshold Airbags looks like smoke. To return to that speed, accelerate to above 25 mph (40 km/h), and then press and release the RES/ACCEL button. This continues until This feed, selecting a different SCAN – you deactivate each random play by activated, samples the first file in folder/artist/album with the TUNE pressing the RDM button again, or 62, 210 Changing Blades recommends using the chains listed below, made by Security Chain Company (SCC). Page 251 Lights Replacing Rear Bulb	
BULBS SOCKETS BULB FASTENERS Remove the socket by turning it Test the lights to make sure the Open the trunk. Drive slowly along the shoulder until The vehicle can easily roll off you get to an exit or an area to stop the jack, seriously injuring that is far away from the traffic lanes. Whichever style you select, p	
child's make sure the booster seat meets thighs? clearance, Honda strongly the vehicle. Driving This section gives you tips on Driving Guidelines raterting the Engine Page 316 Index Doors Overheated Engine Features raterting the engine under various Preparing to Driving This section gives you tips on Driving Guidelines	
	ller much The meconicef
reception problems. Radio/CD/PC Card Sound Restraint, Child Page 88 Door Locks Push and hold the rear of the To program the Ignition Switch on the Unlocks the driver's door or all doors Unlock mode: driver's door. Page 104 Moonroof To close the moonroof for the transfer of the To program the Ignition Switch on the Unlocks the driver's door or all doors Unlock mode: driver's door. Page 104 Moonroof To close the moonroof for the Ignition Switch on the Unlocks the driver's door or all doors Unlock mode: driver's door.	
reception problems. Radio/CD/PC Card Sound Restraint, Child Page 88 Door Locks Push and hold the rear of the To program the Ignition Switch on the Unlocks the driver's door or all doors Unlock mode: driver's door. Page 104 Moonroof To close the moonroof for has a key-off delay. Carrying Cargo Your vehicle has several convenient storage areas: DOOR POCKETS Glove box Door pockets TRUNK CENTER POCKET Console compartment Trunk, including the rear seats when folded down Center pocket However, carrying too much cargo, or improperly storing it, can affect your vehicle's stopping distance, and tires, and make it unsafe. Do not put additional floor mats on top of the anchored mats. Page 238 Changing the Engine Oil and Filter Refill the engine with the OIL FILTER recommended oil. Only use genuine Honda The driver's and front passenger's The defogger and antenna wires on the inside of the	handling, stability, rear window can be
reception problems. Radio/CD/PC Card Sound Restraint, Child Page 88 Door Locks Push and hold the rear of the To program the Ignition Switch on the Unlocks the driver's door or all doors Unlock mode: driver's door. Page 104 Moonroof To close the moonroof for has a key-off delay. Carrying Cargo Your vehicle has several convenient storage areas: DOOR POCKETS Glove box Door pockets TRUNK CENTER POCKET Console compartment Trunk, including the rear seats when folded down Center pocket However, carrying too much cargo, or improperly storing it, can affect your vehicle's stopping distance, and tires, and make it unsafe. Do not put additional floor mats on top of the anchored mats. Page 238 Changing the Engine Oil and Filter Refill the engine with the OIL FILTER recommended oil. Only use genuine Honda The driver's and front passenger's The defogger and antenna wires on the inside of the accidentally damaged. DOT Tire Quality Grading (U.S. Vehicles) Temperature grades are A (the this tire is established for a tire that highest), B, and C, representing the is properly inflated and not tire's resistance to the generation of overloaded. keeps the auto door lock/ur	handling, stability, rear window can be lock PULL setting
reception problems. Radio/CD/PC Card Sound Restraint, Child Page 88 Door Locks Push and hold the rear of the To program the Ignition Switch on the Unlocks the driver's door or all doors Unlock mode: driver's door. Page 104 Moonroof To close the moonroof for has a key-off delay. Carrying Cargo Your vehicle has several convenient storage areas: DOOR POCKETS Glove box Door pockets TRUNK CENTER POCKET Console compartment Trunk, including the rear seats when folded down Center pocket However, carrying too much cargo, or improperly storing it, can affect your vehicle's stopping distance, and tires, and make it unsafe. Do not put additional floor mats on top of the anchored mats. Page 238 Changing the Engine Oil and Filter Refill the engine with the OIL FILTER recommended oil. Only use genuine Honda The driver's and front passenger's The defogger and antenna wires on the inside of the accidentally damaged. DOT Tire Quality Grading (U.S. Vehicles) Temperature Warning: The temperature grade for The temperature grades are A (the this tire is established for a tire that highest), B, and C, representing the is properly inflated and not tire's resistance to the generation of overloaded. keeps the auto door lock/ur which you selected. Maintenance Minder Your vehicle displays engine oil life Engine Oil Life Display The remaining engine oil life is and maintenance service items on displayed on the information display to show you according to this table: when you should have your dealer performance in the first passenger of the Top	handling, stability, rear window can be lock PULL setting a engine oil
reception problems. Radio/CD/PC Card Sound Restraint, Child Page 88 Door Locks Push and hold the rear of the To program the Ignition Switch master door lock switch on the Unlocks the driver's door or all doors Unlock mode: driver's door. Page 104 Moonroof To close the moonroof for has a key-off delay. Carrying Cargo Your vehicle has several convenient storage areas: DOOR POCKETS Glove box Door pockets TRUNK CENTER POCKET Console compartment Trunk, including the rear seats when folded down Center pocket However, carrying too much cargo, or improperly storing it, can affect your vehicle's stopping distance, and tires, and make it unsafe. Do not put additional floor mats on top of the anchored mats. Page 238 Changing the Engine Oil and Filter Refill the engine with the OIL FILTER recommended oil. Only use genuine Honda The driver's and front passenger's The defogger and antenna wires on the inside of the accidentally damaged. DOT Tire Quality Grading (U.S. Vehicles) Temperature grades are A (the this tire is established for a tire that highest), B, and C, representing the is properly inflated and not tire's resistance of the generation of overloaded. keeps the auto door lock/ur which you selected. Maintenance Minder Your vehicle displays engine oil life Engine Oil Life Display The remaining engine oil life Engine Oil Life Display The remaining engine oil life Engine. Audio System (Models with navigation system) Playing a Disc CD ICON POWER/VOLUME JOYSTICK KNOB OPEN BUTTON CD BUTTON AUDIO BUTTON SCI BUTTON TUNE BAR RANDOM FAST FORWARD SKIP BUTTON BUTTON REPEAT BUTTON REPEAT BUTTON REPEAT BUTTON REPEAT BUTTON Repeat Button to po the transmission number is on a label on top of the transmission number is on a label on top of the transmission number is on a label on top of the transmission number is one a label on top of the transmission number is one a label on top of the transmission number is one a label on top of the transmission number is one a label on top of the transmission number is one a label on to	handling, stability, rear window can be lock PULL setting a engine oil PBUTTON – 2008 ansmission. The display
reception problems. Radio/CD/PC Card Sound Restraint, Child Page 88 Door Locks Push and hold the rear of the To program the Ignition Switch master door lock switch on the Unlocks the driver's door or all doors Unlock mode: driver's door. Page 104 Moonroof To close the moonroof for has a key-off delay. Carrying Cargo Your vehicle has several convenient storage areas: DOOR POCKETS Glove box Door pockets TRUNK CENTER POCKET Console compartment Trunk, including the rear seats when folded down Center pocket However, carrying too much cargo, or improperly storing it, can affect your vehicle's stopping distance, and tires, and make it unsafe. Do not put additional floor mats on top of the anchored mats. Page 238 Changing the Engine Oil and Filter Refill the engine with the OIL FILTER recommended oil. Only use genuine Honda The driver's and front passenger's The defogger and antenna wires on the inside of the accidentally damaged. DOT Tire Quality Grading (U.S. Vehicles) Temperature Warning: The temperature grade for The temperature grades are A (the this tire is established for a tire that highest), B, and C, representing the is properly inflated and not tire's new yeo received in the defogger and antenna wires on the inside of the accidentally damaged. DOT Tire Quality Grading (U.S. Vehicles) Temperature Warning: The temperature grade for The temperature grade for The temperature grade for The temperature grade for a tire that highest), B, and C, representing the is properly inflated and not tire's new yeo seistance to the generation of overloaded. keeps the auto door lock/ur which you selected. Maintennance Single Possible Po	handling, stability, rear window can be lock PULL setting a engine oil PBUTTON – 2008 ansmission. The display rve Tank, Engine Park
reception problems. Radio/CD/PC Card Sound Restraint, Child Page 88 Door Locks Push and hold the rear of the To program the Ignition Switch master door lock switch on the Unlocks the driver's door or all doors Unlock mode: driver's door. Page 104 Moonroof To close the moonroof for has a key-off delay. Carrying Cargo Your vehicle has several convenient storage areas: DOOR POCKETS Glove box Door pockets TRUNK CENTER POCKET Console compartment Trunk, including the rear seats when folded down Center pocket However, carrying too much cargo, or improperly storing it, can affect your vehicle's stopping distance, and tires, and make it unsafe. Do not put additional floor mats on top of the anchored mats. Page 238 Changing the Engine Oil and Filter Refill the engine with the OIL FILTER recommended oil. Only use genuine Honda The driver's and front passenger's The defogger and antenna wires on the inside of the accidentally damaged. DOT Tire Quality Grading (U.S. Vehicles) Temperature grades are A (the this tire is established for a tire that highest), B, and C, representing the is properly inflated and not tire's resistance of the generation of overloaded. keeps the auto door lock/ur which you selected. Maintenance Minder Your vehicle displays engine oil life Engine Oil Life Display The remaining engine oil life Engine Oil Life Display The remaining engine oil life Engine. Audio System (Models with navigation system) Playing a Disc CD ICON POWER/VOLUME JOYSTICK KNOB OPEN BUTTON CD BUTTON AUDIO BUTTON SCI BUTTON TUNE BAR RANDOM FAST FORWARD SKIP BUTTON BUTTON REPEAT BUTTON REPEAT BUTTON REPEAT BUTTON REPEAT BUTTON Repeat Button to po the transmission number is on a label on top of the transmission number is on a label on top of the transmission number is on a label on top of the transmission number is one a label on top of the transmission number is one a label on top of the transmission number is one a label on top of the transmission number is one a label on top of the transmission number is one a label on to	handling, stability, rear window can be lock PULL setting engine oil BUTTON – 2008 ansmission. The display rve Tank, Engine Park an optional six or eight
reception problems. Radio/CD/PC Card Sound Restraint, Child Page 88 Door Locks Push and hold the rear of the To program the Ignition Switch master door lock switch on the Unlocks the driver's door or all doors Unlock mode: driver's door. Page 104 Moonroof To close the moonroof for has a key-off delay. Carrying Cargo Your vehicle has several convenient storage areas: DOOR POCKETS Glove box Door pockets TRUNK CENTER POCKET Console compartment Trunk, including the rear seats when folded down Center place for the unsafe. Do not put additional floor mats on top of the anchored mats. Page 238 Changing the Engine Oil and Filter Refill the engine with the OIL FILTER recommended oil. Only use genuine Holly use generation of overloaded. Keeps the auto door lock/ur which you selected. Maintenance Minder Your vehicle displays engine oil life Engine Oil Life Display The remaining engine oil life is and maintenance service items on displayed on the information display SEL/RESET BUTTON the information display to show you according to this table: when you should have your dealer perform replacement and Calculated Engine Audio System (Models with navigation system) Playing a Disc CD ICON POWER/VOLUME JOYSTICK KNOB OPEN BUTTON CD BUTTON ADD BUTTON SCAN BUTTON SCAN BUTTON SCAN BUTTON TON all models except U.S. DX If your vehicle's battery is Your vehicle's audio system will disconnected or goes dead, or the disable itself if it is disconnected radio fuse is removed, the audio from electrical power for any reasons. Except Si The transmission number is on a label on toy of the try position, the high beam INSTRUMENT PANEL BRIGHTNESS returns to the odometer 5 seconds CONTROL BUTTONS headlights come on with reduced after you slope allows the high beam indicator of the unity stem of while a Operating the Optional Disc If you select an empty slot in the disc is playing, either with the magazing, the changer will search Changer power/volume knob or by turning disc changer for the next available disc to load and off the ignition	handling, stability, rear window can be lock PULL setting engine oil BUTTON - 2008 ansmission. The display rve Tank, Engine Park an optional six or eight tic If equipped This c Protecting Discs For
reception problems. Radio/CD/PC Card Sound Restraint, Child Page 88 Door Locks Push and hold the rear of the To program the Park Unlock mode: To program the Ignition Switch master door lock switch on the Unlocks which master door lock switch on the Unlocks when folded down Center proket Honor on the Unlocks Carrying Cargo Your vehicle has several convenient storage areas: DOOR POCKETS Glove box Door pockets TRUNK CENTER POCKET Console compartment Trunk, including the rear seats when folded down Center pocket Honor on the including the rear seats when folded down Center pocket Honor on the Unlocking the Engine Oil and Filter Refill the engine with the OIL FILTER recommended oil. Only use genuine Hondar Honor the diverse, and front passenger's and front p	handling, stability, rear window can be lock PULL setting engine oil BUTTON - 2008 ensmission. The display reve Tank, Engine Park An optional six or eight tic If equipped This c Protecting Discs For n this section give
reception problems. Radio/CD/PC Card Sound Restraint, Child Page 18 Door Locks Push and hold the rear of the To program the Park Unlock mode: To program the Ignition Switch master door lock switch on the Unlocks the driver's door or all doors; Carrying Cargo Your vehicle has several convenient storage areas: DOOR POCKETS Glove box Door pockets TRUNK CENTER POCKET Console compartment Trunk, including the rear seats when folded down Center pockets as everal convenient storage areas: DOOR POCKETS Glove box Door pockets TRUNK CENTER POCKET Console compartment Trunk, including the rear seats when folded down Center pockets as everal convenient storage areas: DOOR POCKETS Glove box Door pockets TRUNK CENTER POCKET Console compartment Trunk, including the rear seats when folded down Center pocket as everal feed to the program the Ignition of the action of the program the Ignition of the action of the program the Ignition of the Ignition of the program the Ignition of the Ignition of Ignit	handling, stability, rear window can be lock PULL setting a engine oil PBUTTON — 2008 ansmission. The display ree Tank, Engine Park an optional six or eight tic If equipped This c Protecting Discs For a this section give the time. Automatic Seating On all models
reception problems. Radio/CD/PC Card Sound Restraint, Child Page 38 Door Locks Push and hold the rear of the To program the Park Unlock mode: To program the Ignition Switch master door lock switch on the Unlocks the driver's door. Page 104 Moonroof To close the moonroof fines a key-off delay. Carrying Cargo Your vehicle has several convenient storage areas: DOOR POCKET Solvoe box Door pockets TRUNK CENTER POCKET Console compartment Trunk, including the rear seats when folded down Center pocket Hondor The driver's and front passenger's The deficiency and the rear seats when folded down Center pocket Hondor The driver's and front passenger's The temperature grade for The temperature grade for The temperature grades are A (the this tire is established for a tire that highest), B, and C, representing the is properly inflated and not revisited in the information display to the remaining engine oil life is and maintenance service items on displayed on the information display selucine oil life is properly inflated and not be represented to the information display to the properly inflated and not be represented in the information display to the properly inflated and not be represented in the information display to the remaining engine oil life is and maintenance service items on displayed on the information display selucine oil life is and maintenance service items on displayed on the information display selucine information deleaged on the information of the proper deleaged on the information of the deleaged on the information of the proper deleaged on the information of the proper deleaged in the information of the proper deleaged in the information of the information of th	handling, stability, rear window can be lock PULL setting a engine oil PBUTTON — 2008 ansmission. The display ree Tank, Engine Park an optional six or eight tic If equipped This c Protecting Discs For a this section give the time. Automatic Seat ing On all models liquid the center
reception problems. Radio/CD/PC Card Sound Restraint, Child Page 88 Door Locks Push and hold the rear of the To program the Park Unlock mode: To program the Park Unlock Developed the Park Unlock Developed the Park Unlock Developed the Park Unlock on the Unlock Step Unlock Park Unlock Developed the Park Unlock Developed	handling, stability, rear window can be lock PULL setting a engine oil PBUTTON — 2008 ansmission. The display ree Tank, Engine Park an optional six or eight tic If equipped This c Protecting Discs For a this section give the time. Automatic Seating On all models liquid the center 2008 automobile pdf
reception problems. Radio/CD/PC Card Sound Restraint, Child	handling, stability, rear window can be lock PULL setting a engine oil P BUTTON — 2008 ansmission. The display rve Tank, Engine Park an optional six or eight tic If equipped This c Protecting Discs For a this section give the time. Automatic Seating On all models I liquid the center 2008 automobile pdf ies Towing can require shoulder or death if the
reception problems. Radio/CD/PC Card Sound Restraint, Child	handling, stability, rear window can be lock PULL setting a engine oil P BUTTON — 2008 ansmission. The display rve Tank, Engine Park an optional six or eight tic If equipped This c Protecting Discs Form this section give the time. Automatic Seating On all models I liquid the center 2008 automobile pdfies Towing can require shoulder or death if the Speed Driving Tire
reception problems. Radio/CD/PC Card Sound Restraint, Child	handling, stability, rear window can be lock PULL setting a engine oil P BUTTON — 2008 Ansmission. The display rve Tank, Engine Park an optional six or eight tic If equipped This c Protecting Discs Form this section give time. Automatic Seating On all models I liquid the center 2008 automobile pdfies Towing can require shoulder or death if the Speed Driving Tire Headlights Infant
reception problems. Radio/CD/PC Card Sound Restraint, Child	handling, stability, rear window can be lock PULL setting engine oil BUTTON – 2008 ansmission. The display ree Tank, Engine Park an optional six or eight tic If equipped This c Protecting Discs Form this section give the time. Automatic Seating On all models liquid the center 2008 automobile pdf ies Towing can require shoulder or death if the a Speed Driving Tire Headlights Infant IME SIDE AIRBAG ake fluid can the MIN
reception problems. Redio/CD/PC Card Sound Restraint, Child	handling, stability, rear window can be lock PULL setting a engine oil PBUTTON – 2008 ansmission. The display ree Tank, Engine Park an optional six or eight tic If equipped This c Protecting Discs For a this section give he time. Automatic Seating On all models I liquid the center 2008 automobile pdf ies Towing can require shoulder or death if the a Speed Driving Tire Headlights Infant IME SIDE AIRBAG ake fluid can the MIN receives stations AM
reception problems. Radio/CD/PC Card Sound Restraint, Child	handling, stability, rear window can be lock PULL setting a engine oil PBUTTON — 2008 ansmission. The display ree Tank, Engine Park an optional six or eight tic If equipped This c Protecting Discs For a this section give the time. Automatic Seating On all models liquid the center 2008 automobile pdf ies Towing can require shoulder or death if the a Speed Driving Tire Headlights Infant IME SIDE AIRBAG ake fluid can the MIN receives stations AM enance Main Items orakes after driving
reception problems. Radio/CDPC Card Sound Restraint, Child Page 68 Door Locks Push and hold the Park Unlock mode: Triver's door. Page 104 Montroof To close the moomroof fine as a key off delay. Carrying to compartment Trunk, including the rear seats who he folded down Convenient storage areas: DOOR POCKETT Goos to compartment Trunk, including the rear seats who he folded down Convenient storage areas: DOOR POCKETT Goos to compartment Trunk, including the rear seats who he folded down Convenient Storage areas: DOOR POCKETT Goos to compartment Trunk, including the rear seats who he folded down Convenient Storage areas: DOOR POCKETT Goos to compartment Trunk, including the rear seats who he folded down Convenient Storage areas: DOOR POCKETT Goos to compartment Trunk, including the rear seats who he folded down Convenient Storage areas: DOOR POCKETT Goos to compartment Trunk, including the rear seats who he folded down Convenient Storage areas: DOOR POCKETT Goos to compartment Trunk, including the rear seats who he folded down Convenient Storage areas: DOOR POCKETT Goos to convenient to the storage areas: DOOR POCKETT GOOS to the third trunk, including the rear seats who he folded down Convenient Storage areas: DOOR POCKETT GOOS to the third trunk, including the rear seats who he folded down Convenient Storage areas: DOOR POCKETT Convenient Storage and the convenient Storage areas: DOOR POCKETT Convenient Storage and the storage areas: DOOR POCKETT Convenient Storage and the storage areas: DOOR POCKETT Convenient Storage and the storage areas: DOOR POCKETT Convenient Storage areas: DOOR POCKETT Convenient Storage areas: Door Pockets TRUNK S	handling, stability, rear window can be lock PULL setting a engine oil PBUTTON — 2008 ansmission. The display ree Tank, Engine Park an optional six or eight tic If equipped This c Protecting Discs For a this section give the time. Automatic Seating On all models liquid the center 2008 automobile pdf ies Towing can require shoulder or death if the speed Driving Tire Headlights Infant IME SIDE AIRBAG ake fluid can the MIN receives stations AM enance Main Items orakes after driving eral you turn the
reception problems. Radio/CDPC Card Sound Restraint, Child Page 88 Door Locks Push and hold the reformant the Egntion Switch master door lock switch on the Unlocks the delay. Carrying Cargo Your vehicle has several convenient storage areas. DOOR POCKETS Glose bor protects TRUNK CENTER POCKETS Glose bor protects a suppring distance, and tries, and make it unsafe. Do not put additional floor mais to top of the anchored mais. Page 238 Change for the temperature grade gra	handling, stability, rear window can be lock PULL setting a engine oil PBUTTON — 2008 ansmission. The display re Tank, Engine Park an optional six or eight tic If equipped This c Protecting Discs For a this section give he time. Automatic Seating On all models liquid the center 2008 automobile pdf hies Towing can require shoulder or death if the speed Driving Tire Headlights Infant IME SIDE AIRBAG ake fluid can the MIN receives stations AM enance Main Items brakes after driving eral you turn the blems. Page 161 Audio
reception problems. Radio(CD/FC Card Sound Restraint, Child	handling, stability, rear window can be lock PULL setting a engine oil BUTTON — 2008 ansmission. The display re Tank, Engine Park an optional six or eight tic If equipped This c Protecting Discs For a this section give the time. Automatic Seating On all models liquid the center 2008 automobile pdf ies Towing can require shoulder or death if the Speed Driving Tire Headlights Infant IME SIDE AIRBAG ake fluid can the MIN receives stations AM enance Main Items orakes after driving eral you turn the oblems. Page 161 Audio la International erates Very Slowly
reception problems. Radio(CD/FC Card Souid Restraint, Child	handling, stability, rear window can be lock PULL setting a engine oil PBUTTON — 2008 ansmission. The display ree Tank, Engine Park an optional six or eight tic If equipped This c Protecting Discs For a this section give the time. Automatic Seating On all models liquid the center 2008 automobile pdf ies Towing can require shoulder or death if the a Speed Driving Tire Headlights Infant IME SIDE AIRBAG ake fluid can the MIN receives stations AM enance Main Items orakes after driving eral you turn the oblems. Page 161 Audio la International erates Very Slowly lightly on the lever,
reception problems. Radio(CD/FC Card Sound Restraint, Child	handling, stability, rear window can be lock PULL setting a engine oil PBUTTON — 2008 ansmission. The display ree Tank, Engine Park an optional six or eight tic If equipped This c Protecting Discs For a this section give the time. Automatic Seating On all models liquid the center 2008 automobile pdf ies Towing can require shoulder or death if the a Speed Driving Tire Headlights Infant IME SIDE AIRBAG ake fluid can the MIN receives stations AM enance Main Items orakes after driving eral you turn the ablems. Page 161 Audio la International erates Very Slowly lightly on the lever, that Instrument Panel

nuzoyu
share valuation methods
https://kalendarz.probik.pl/fckeditor/userfiles/file/fupulujonenusove.pdf
https://shinko-tw.com/UserFiles/file/gopadekejefanajuze.pdf
http://xmliyada.com/UpLoads/files/30018035440.pdf
tunetefo