

Click to prove  
you're human





## Does urgent cares do std testing

If you think you may have contracted an STD, you need an accurate, rapid STD test to protect yourself and your partners. Early testing and treatment are crucial for your general and sexual health. You may wonder what your testing options are. Should you visit your primary care physician, a private practice, or an urgent care facility? Does urgent care do STD testing? If you ask, "Can you get STD testing at an urgent care center?" the short answer is yes. However, it's a good idea to weigh all the pros and cons of your testing options. What Are Urgent Care Facilities? As you weigh your possibilities of STD diagnosis, it may be helpful to understand the purpose and function of urgent care facilities. If you encounter a potentially life-threatening condition - for example, a severe head injury or heart attack symptoms - you should go to the ER immediately. If you have a general, non-urgent family medicine question, you will usually schedule an appointment with your primary care physician. But what about medical conditions that don't qualify for an ER visit, yet still need immediate attention? Most of us have experienced this scenario: You suddenly have a high fever or feel the onset of a nasty UTI when you go to the bathroom, but your primary care clinic is closed or too busy to schedule an appointment on short notice. Urgent care facilities exist precisely to address these situations. Here are some examples of conditions that urgency care centers may treat: Falls and other minor traumas Cuts that aren't very deep but may require stitches Moderate asthma attacks Sudden eye or skin irritation Suspected minor fractures or sprains Severe coughs or sore throat Vomiting and diarrhea An urgent care facility enables you to consult a health care provider quickly and without scheduling an appointment. Urgent care center staff usually includes physicians, nurses, medical assistants, and radiological technologists. Most urgent care services work 365 days a year, including weekends and holidays, and offer extended hours in the early morning and late evening. However, urgent care centers usually aren't open 24/7. Can You Get STD Testing at an Urgent Care Facility? Do common STDs merit a visit to an urgent care facility? Can urgent care do STD testing? Here is what you should know. STD Testing Process Often, people prefer to visit an urgent care center, rather than their primary physician, for STD testing. Many appreciate the comparative anonymity of an urgent care facility or don't want to wait for an appointment. The following process usually happens when you go to an urgent care center and ask for an STD test: 1. Evaluation. STD testing always begins with a medical assessment. The doctor will ask you to describe your symptoms and, if necessary, they will perform a physical examination, including a genital or pelvic exam. The physician will look for common STD signs such as bumps, blisters, or unusual discharge. 2. Sample collection. To confirm an STD diagnosis, the physician will collect samples. The process may involve a blood test, urine test, and genital, throat, or anal swabs. The latter applies to patients who report engaging in anal sex. 3. Results. Even if physical symptoms point to a certain STD, usually the physician will give a final diagnosis and suggest treatment options only when the test results come back from the lab. Once results are available, the urgent care center will call you and, if necessary, invite you to return for treatment. Considerations According to the CDC, close to 20 million STD infections occur each year in the U.S. About half of the cases appear in young people under 24. Many STD infections, especially genital herpes and HPV, remain undiagnosed for a long time because their symptoms are absent, mild, or nonspecific. Untreated STDs can have a far-reaching impact on your health and fertility. You don't need to wait for severe symptoms or potentially dangerous situations to get tested for STDs. Periodic STD testing is a wise precautionary measure for any sexually active individual. Even if you use protection, condoms may not prevent the transmission of certain STIs like herpes and syphilis. Unless you are in a long-term monogamous relationship and both you and your partner have tested negative for all common STDs, always use protection measures and consider getting tested once every 6 to 12 months. STD testing is especially important if: You have had unprotected sex outside of a long-term monogamous relationship You exhibit STD symptoms, e.g., unusual discharge, blisters, or a burning sensation while you urinate You are a female under 25 You are pregnant or are planning a pregnancy Treatment options STD treatment will depend on the particular type of sexually transmitted disease. Bacterial STDs like chlamydia or gonorrhea will require antibiotic treatment. During an antibiotic cycle, following instructions is critical to ensure that the antibiotics clear the infection. Patients will need repeat testing three months after the antibiotic treatment to make sure the infection is gone. In cases of recurring infection, the physician will prescribe another round of treatment. Genital herpes, an extremely common viral STD, is a chronic condition with latent and outbreak phases. Antiviral drugs can help make genital herpes more manageable by reducing outbreak frequency and alleviating symptoms. While antiviral treatment reduces the risk of genital herpes transmission, infected individuals still need to practice safe sex to protect their partners. HIV, another viral STD, calls for targeted antiretroviral therapy. Once HIV testing reveals a positive result, the doctor will prescribe a series of medications for the patient. Antiretroviral therapy can reduce symptoms, slow HIV progression, and lower the risk of transmission. With timely treatment and the proper precautions, HIV patients can expect a long, healthy life and remain sexually active. HPV, or human papillomavirus, is a frequently occurring STD that can spread through vaginal, oral, and anal sex. Most infection cases present with symptoms and self-resolve without treatment, but some HPV strains can lead to cervical cancer. Fortunately, an HPV vaccine is available for boys and girls aged 11 and up. Young adults under 26 may also get vaccinated. Benefits of STD Testing at an Urgent Care Facility So, can urgent care test for STDs? Yes, and people often prefer to turn to an urgent care center rather than their primary care clinic when they need STD testing. Many patients experience a certain level of embarrassment when discussing STDs and prefer to broach this topic with a health care practitioner who doesn't know them personally. Here are other benefits of getting tested for STDs in an urgent care facility: A quick care option. In most urgent care centers, you can get a walk-in or same-day appointment, quick testing, and a fast treatment recommendation. Depending on the type of STD test, you may expect a diagnosis within a few days. Flexible hours. Urgent care facilities are often open outside business hours, including early morning and late evening. Many urgent care centers open as early as 7 a.m. and operate as late as 9 p.m. on weekdays. Discreet treatment. Choosing an urgent care center for STD testing usually ensures a higher level of privacy. Some patients postpone essential STD testing or treatment because of self-consciousness. Visiting an urgent care center can help people avoid awkwardness or self-consciousness. Depending on your insurance coverage, an urgent care center may be more affordable than visiting a hospital or a private practice. You may expect a similar level of care and medical competence with higher convenience and lower costs. Most urgent care clinics offer reliable and convenient lab tests for all types of STDs, including herpes, chlamydia, and HIV. You can book an appointment online or simply show up. Urgent care centers are geared to treat unexpected situations, and most of them welcome walk-in patients. Typically, urgent care facilities carefully guard their patients' privacy and will deliver your results using the method you prefer. In uncomplicated STD cases, an urgent care center will usually be able to offer you STD prescription treatment following your test results. However, if your condition is advanced or highly complicated, the urgent care center staff may advise you to visit your primary physician or a specialized clinic to receive the care you need. Are you unsure what type of STD testing your insurance covers? Check with your insurance provider. The Affordable Care Act extends to STD testing in many insurance policies. Why Choose Rapid STD Testing Instead of Urgent Care? Does urgent care do STD testing? Yes, but using an urgent care facility for STD testing also has some drawbacks. An urgent care center often functions as a jack-of-all-trades, addressing any medical issue from UTIs to sudden allergic reactions to broken legs. When you suspect an STD, you may want to consider private lab STD testing in a dedicated facility specializing in STDs and STIs. At Rapid STD Testing, we provide a quick, reliable, affordable, and 100% private way to test for a wide range of STDs. We operate over 2,500 testing centers across the U.S. Do you think you may have been exposed to an STD? Are you unsure about which facility to choose for testing or treatment? Here is why you should consider contacting Rapid STD Testing. Affordable pricing. If you don't have insurance coverage, you may expect to pay many hundreds of dollars for STD testing in an urgent care center. Rapid STD Testing offers flexible and affordable testing options for individual or multiple STDs. Our Rapid STD Basic Panel, which covers chlamydia, gonorrhea, syphilis, and HIV, costs only \$249. Speed. At Rapid STD Testing, we treat every test as a rush order. We offer same-day STD testing in the most convenient location near you, and testing itself usually takes 15 minutes or less. You will receive your results within 1-3 business days through a fully encrypted, password-protected email. We also offer testing on Saturdays at no additional cost. Privacy. Rapid STD Testing does not require you to fill out patient intake forms. Our STD testing services are 100% confidential and secure. We will not send any billing documentation to your home address or use our business name on your payment statement. We are unaffiliated with any insurance company, so your test results will never pass from us to your insurance provider. Competence. We use reliable, FDA-approved test kits. All our labs are CLIA-certified. Our health care experts and consultants specialize in STD diagnosis and treatment. Rapid STD Testing uses a quick, streamlined, and convenient process. All you need to do is order your test online, visit one of our labs, and get tested. We also offer a discreet collection service if you prefer us to pick up your samples directly at your home or office. Treatment Plans Urgent care centers often have limited options when it comes to STD treatment. In contrast, our facilities are equipped to handle a broad range of STD infections and conditions. Our knowledgeable physicians can work with you to recommend a suitable treatment plan if you test positive for an STD. For an additional fee, we can send prescription medication to a pharmacy of your choice. When to Contact Rapid STD Testing Don't let self-consciousness or embarrassment stand in the way of essential testing and medical care. Contact us at Rapid STD Testing today if you: Engaged in unprotected sex. Everyone makes mistakes - now you need a rapid, accurate diagnosis to protect your health. Have a new partner. If you and your partner want to stop using protection or are planning a pregnancy, get tested for STDs first. Have multiple partners. If you engage in sexual activity with multiple partners, physicians recommend getting tested once every 3 months. Need fast results. Rapid STD Testing provides accurate results within 1-3 business days. Need to protect your privacy. With Rapid STD Testing, nobody but you gets access to your results. You don't need to worry about confidential information leaking out to your partner, insurance provider, or anyone else. Live in a remote area. Rapid STD Testing operates over 2,500 testing facilities across the U.S. Wherever you live, you will find one of our labs near you. Rapid STD Testing: Quick, Discreet STD Testing for Your Peace of Mind Do you suspect you may have an STD? Get a fast, comprehensive screening with our 10 panel STD test from Rapid STD Testing. Contact us to learn more about your STD testing options. Get tested today! From the time you were in middle school health class, you've probably been aware - to some extent - of the importance of sexual health. You know that condoms are the only type of birth control that is effective at preventing the spread of sexually transmitted diseases (STDs). But largely due to the stigma that surrounds sexual health many people don't continue to talk about it into their late teens and early adulthood. According to the American Sexual Health Association (ASHA), the statistics on STDs in the U.S. are staggering: 1 in 2 sexually active people will contract an STD by age 25 Nearly 20 million new STDs occur every year Half of the people who contract STDs are between the ages of 15 and 24 Only about 12% of people in that age range receive STD tests each year As defined by the World Health Organization (WHO), sexual health is "... a state of physical, emotional, mental and social well-being in relation to sexuality; it is not merely the absence of disease, dysfunction or infirmity. Sexual health requires a positive and respectful approach to sexuality and sexual relationships, as well as the possibility of having pleasurable and safe sexual experiences, free of coercion, discrimination, and violence. For sexual health to be attained and maintained, the sexual rights of all persons must be respected, protected, and fulfilled." Obviously, there's a lot more to sexual health than keeping yourself free from disease and infection. Still, not having an STD or STI - an infection caused by bacteria or a virus - is an important component of your overall sexual pleasure and well-being, as well as your physical and emotional health. In this article, we'll be focusing on the physical aspect of sexual health. Anyone who is sexually active should be concerned about their sexual health and get tested for STDs. Left unchecked, STDs can wreak havoc on your reproductive system. This is true for both men and women. In fact, the Centers for Disease Control (CDC) reported that about 24 thousand women become infertile each year due to STDs. Typically, contracting an STD isn't enough to cause infertility or other reproductive health issues. It's when a sexually transmitted disease isn't treated that the risk of reproductive damage becomes a problem. This points to just how important it is to get tested regularly, especially when you have a new sexual partner or have multiple sexual partners. Early detection is the best way to prevent common STDs from impacting your future health. Can You Go to Urgent Care for STD Testing? If you think you may have an STD or if you want to get an STD test as a precaution, you may be wondering, should I go to urgent care or my primary doctor? Many people choose to go to an urgent care clinic for an STD test if they feel uncomfortable or embarrassed to go to their normal doctor. There's no reason to feel embarrassed about getting an STD test but there are some benefits of going to urgent care. You can get same-day, walk-in care You can book an appointment online and save even more time Urgent care centers can treat you discreetly Your urgent care doctor will give you a physical exam and evaluate any visible symptoms. To get an official diagnosis, you'll be asked to give a blood or urine sample which will be sent to a lab for testing. You'll usually have the results within a few days and be given a prescription for antibiotics to treat a bacterial STD or an antiviral medication to treat a viral STD. The only time that you may be unable to be treated for an STD at urgent care is if it has progressed beyond what can be treated with a prescription. If this is the case, your urgent care doctor will advise you to follow up with your primary physician. The Importance of Getting Tested for STDs Untreated STDs can have serious health consequences, according to Mayo Clinic and the CDC. Since many people with STDs do not have symptoms, it is important to get tested on a regular basis if you are sexually active. Urgent care clinics offer a convenient, cost-effective, and fast way to get tested and start treatment for many STDs. Remember, getting tested for STDs is nothing to be ashamed of. It is a responsible and important step in maintaining your sexual health. You can use Solv to find urgent care clinics near you. What Are the Most Common STDs? There are dozens of different STDs, some more common than others. They all fall into one of two categories: bacterial or viral. Here are some of the most common STDs, their symptoms, and possible treatments. Find STD testing - Chlamydia Chlamydia, a bacterial STD, is the number one cause of preventable infertility in the U.S. Left untreated, chlamydia can cause pelvic inflammatory disease (PID), which can permanently damage a woman's reproductive organs. Many people who get chlamydia don't have any symptoms, making it hard to diagnose without a test. This is another reason it's smart to get tested regularly. For people who do have symptoms of chlamydia, they often include: Painful urination Fever Unusual discharge from penis or vagina Chlamydia can be treated with antibiotics (which you can get at urgent care). If you get treated for chlamydia, your partner should, too. If not, you run the risk of contracting it again. Find chlamydia testing - Gonorrhea Gonorrhea is another type of bacterial STD that often occurs at the same time as chlamydia. Typically, if you're being treated for one, you'll also be treated for the other - just in case. Gonorrhea can also cause PID, so early treatment is important. Just like chlamydia, most people won't have symptoms but, if they do, can include: Painful or difficult urination Discharge from the penis or vagina Mouth, throat, and eye infections Men may experience swollen testicles Women may bleed between periods Gonorrhea can cause infertility in men and women, as well as spread to the blood and joints. It can be treated with a single dose of antibiotics. Find gonorrhea testing - Genital Herpes Herpes is a common STD that many people never even know they have. The only visible symptom is watery skin blisters around the genitals and not everyone gets them. It can be caused by two different strains of virus: HSV type 1 (HSV-1) or HSV type 2 (HSV-2). Most cases of genital herpes are caused by HSV-2 and, unfortunately, there is no cure. Medication can be used to control outbreaks and lessen the likelihood of it being passed on to a sexual partner. Find herpes testing - Human Papillomavirus (HPV) HPV is the most common type of STD and at least 50% of sexually active people will get it at some point in their lives. Since there are over 40 types of HPV, it can be hard to pinpoint the symptoms of any one strain. Different types of HPV can cause: Genital warts Mouth and throat infections Cancers of the cervix, vulva, penis, anus, and mouth While HPV cannot be cured, it can be treated. Even better, there is a vaccine that can help prevent HPV, as well as the genital warts and cancers caused by the virus. You can get the HPV vaccine, as well as any other vaccinations you need, at most urgent care centers. Find HPV testing - Syphilis Syphilis is another STD that can cause serious, long-term health complications if not treated. It is usually spread by contact with open sores during sex. The rates of syphilis in the U.S. have been increasing every year since 2014, making it a very real concern. The symptoms of syphilis include: Small, painless sores in or around the vagina, penis, mouth, or anus Rash on the body, especially the palms of the hand and soles of the feet Less common symptoms include: Fever Swollen lymph glands Sore throat Headache Weight loss Muscle aches Fatigue Syphilis, like most bacterial STDs, can be treated with antibiotics if caught early - usually an injection of penicillin. For people allergic to penicillin, the treatment can be 14 days of a different type of antibiotic. Even if left untreated for more than a year, antibiotics can cure syphilis, though it will take longer. Find syphilis testing - Bacterial Vaginosis Bacterial vaginosis, or BV, is a common vaginal infection in women of reproductive age. It happens when the good-to-bad ratio of bacteria in the body is thrown out of balance. Women are more likely to get BV if they douche or have new or multiple sexual partners. Essentially, any activity that introduces new bacteria into the vagina can cause BV. The symptoms of bacterial vaginosis include: Thin, milky discharge Discharge with a "fishy" odor Painful urination Vaginal itching or burning Bacterial vaginosis can be treated with antibiotics - usually metronidazole or clindamycin. It's very important to be treated for BV; having it can increase a woman's risk of contracting other STDs, as well as cause preterm birth and/or low birth weight in pregnant women. Trichomoniasis This STD affects women more than it affects men. Even when men do get trichomoniasis, most won't ever display symptoms (though if they do have symptoms, they're pretty obvious: painful urination and lesions on the penis). Women, however, commonly do get symptoms of trichomoniasis, such as: Frothy yellowish or greenish vaginal discharge Swelling of the vulva and labia Painful urination Antibiotics can treat and cure trichomoniasis though it's very important that everyone who has had sex with an infected person gets treated. Reinfection is very common. Find trichomoniasis testing - Viral Hepatitis (Hepatitis B) Hepatitis A, B, and C are viruses that can be spread through sexual contact but Hepatitis B is the most common. Hep B is also the most common cause of liver cancer. Like other STDs, viral hepatitis often doesn't cause symptoms. When symptoms do occur, they can be severe: Joint pain Hive-like rash Fatigue Nausea Vomiting No appetite Headache Fever Dark or cloudy urine Liver enlargement Vaccination can prevent this STD but, if it is contracted, most cases can be treated with antiviral medications. Find hepatitis B testing - It's important to remember that pregnant women who contract an STD can pass it on to their children. If you're pregnant and have an STD, you should head to an urgent care for a same-day appointment to get tested and treated. What Increases My Risk of an STD? Anyone who is sexually active has some risk of contracting an STD. However, there are some things that can make it more likely. If any of these apply to you, it's a good idea to get tested every 3 to 6 months, or before you have a new sexual partner. You have multiple sexual partners You currently have or have had unprotected sex You have not received an HPV or Hepatitis A or B vaccine You're a woman You have a weak immune system Does Insurance Cover STD Testing at Urgent Care? Many insurance plans do cover STD testing, but the amount of coverage can vary depending on your specific plan. Some plans may cover the full cost of testing, while others may require you to pay a copay or deductible. It's important to check with your insurance provider to see what your plan covers. To find out if your insurance covers STD testing, you can: Call your insurance provider: The customer service number is usually located on the back of your insurance card and can provide information on your coverage. Check your plan documents: Your plan documents may have information on what services are covered and what your out-of-pocket costs will be. Ask the urgent care clinic: The clinic may be able to tell you if they accept your insurance and what your out-of-pocket costs will be. Keep in mind that even if your insurance covers STD testing, there may be additional costs for treatment or follow-up care. It's important to discuss any concerns or questions with your insurance company or your healthcare provider. The STD Testing Process STD testing at urgent care clinics usually involves a physical exam, talking about your symptoms and sexual activity, and taking a sample of your blood, urine, or secretions. The sample is then used for a rapid test or sent to a lab for testing, notes the NIH. The result time will vary depending on the type of test that is used. Some STDs are readily apparent during a physical exam and typically do not require a diagnostic test. Some clinics offer rapid testing for certain STDs, which can usually provide same-day results. However, rapid testing is not available for all types of STDs, and it may not be as accurate as traditional lab testing, according to the NIH. Factors That Affect STD Testing There are a few factors that can affect how long it takes to get your STD test results, including: The type of test you're getting The lab's workload Whether you need to schedule a follow-up appointment Additionally, if you're getting multiple tests done, it may take longer to get your results. For send-out tests, the average amount of time it takes to get STD testing results is between five and ten days, according to Planned Parenthood. Keep in mind that this is just an average, and your results may come back sooner or later, depending on your specific circumstances. It's important to talk to your healthcare provider about what to expect and any concerns you may have. The Benefits of Getting Your STD Treated at an Urgent Care Clinic There are several benefits to getting tested and treated for STDs at an urgent care clinic, notes the NIH. Convenience: Urgent care clinics are often open evenings and weekends, making it easier to get tested and treated around your schedule. Efficiency: Urgent care clinics provide fast, often same-day treatment for many conditions, including STDs. Confidentiality: Urgent care clinics are required to maintain patient confidentiality, which can be important for individuals who are concerned about privacy. Accessibility: Many urgent care clinics are located in convenient locations, and many accept a range of insurance plans. Cost: Urgent care clinics may be less expensive than visiting a traditional doctor's office or emergency room for STD testing and treatment. The STD Treatment Process When you visit an urgent care clinic for STD testing or treatment, the process may begin with a physical exam and a discussion about your symptoms and sexual history. The urgent care provider may then recommend testing for one or more STDs, depending on your symptoms and history. If you test positive for an STD, the urgent care provider can also discuss your treatment options with you. Treatment for STDs typically involves medication, such as antibiotics or antivirals, notes the CDC. Some STDs, such as herpes and HIV, may require ongoing treatment. Your urgent care provider will work with you to develop a treatment plan that is tailored to your specific needs, and give you referrals to specialists if necessary. You may be wondering, does urgent care do STD testing? The short answer is: yes. However, the urgent care may not be the best choice for getting annual or regular testing. Since the list of all STDs is a topic that people would, understandably, rather avoid, it is important to choose the testing option best for you. While most urgent centers do offer testing, there are certain situations in which you might benefit from going to a testing center for STD testing instead. STD testing at urgent care The main reason people are more likely to go to urgent care than their doctor's office is that they can typically walk into an urgent care without the need for an appointment, making it seem like a faster alternative. Going to an urgent care center may also relieve people of the embarrassment that can be associated with visiting their primary healthcare physician. Some may prefer to have that conversation with a nurse or doctor with who they are not acquainted. Another reason someone might go to urgent care is if their insurance provider covers urgent care visits. While this may seem like a cheaper alternative to clinics and testing centers that don't accept insurance, patients may not realize that they may have additional testing fees or copays. It may be difficult to estimate upfront how much they'll need to pay out-of-pocket or if their insurance covers STD testing at that specific lab. STD testing at Priority STD Testing Priority STD Testing offers many of the same conveniences as urgent care, but guarantees private, fast and comprehensive STD testing at specialized labs. At Priority STD Testing, you can set up a testing appointment online for the same or next day, be in and out of the testing center within 30 minutes and have your results ready in a matter of days. All our test prices are comparable to or cheaper than an urgent care, without a lengthy stay in a waiting room. After providing some basic information to a care counselor online, all you need to do is show up for your testing, provide the necessary sample(s) and leave. Most importantly, the entire testing process and your results are kept private. Because Priority STD Testing does not accept insurance, there are no surprises as to what the cost of testing will be. Additionally, because the testing is not processed through health insurance, results or records will not be reported to your insurance provider or be part of your personal health record. If you should have questions regarding the testing process or your results, our trained care counselors are available for advice, direction and support to help you achieve sexual wellness. When should you go to urgent care instead of a testing center? While the testing experiences at urgent care and a testing center like Priority STD Testing are comparable in a lot of ways, sometimes it is better to go to one place rather than the other. In general, it is best to go to urgent care for situations that do not require testing. Situations that do not require testing are best suited for urgent cares since they are not equipped to perform prompt testing services and require samples to be sent to a third-party lab. This may cause delays in results and may even have hidden, surprise lab fees, depending on your insurance. If you are already confident that you have contracted an STD, based on the positive status of a partner, an urgent care may be able to provide same-day treatment. However, they usually require re-testing on their end before treatment can be given. Also, long lines at the clinic may prolong waiting times unnecessarily. While it may be tempting to drive down to your local urgent care to resolve potential STD symptoms, it is best to visit for cases such as injuries, immunizations or routine physicals. When should you go to a testing center instead? Due to the frequently asymptomatic and sensitive nature of STIs, it is best to choose the most reliable option for testing. Overall, STD testing is best left for reliable online services that specialize in lab-based testing such as Priority STD Testing. Going to the urgent care for testing services could extend the wait of other patients, introduce surprise lab fees or lengthen the waiting time for your results. However, specialized online services such as Priority STD Testing offer speedy, private and detailed STD testing and peace of mind. Our prices can be taken at face value, and our testing is always performed by CLIA certified and FDA approved labs. Find a lab near you to receive prompt, private and trustworthy STD testing services with us today. Find a Lab AndGet Tested Now